

TARA Three-hole lavatory mixer with drain - Brushed Platinum

TARA

20 713 882 Product version from 6/30/2009 to 6/25/2021



- 6-1/2" Projection
- US drain with overflow
- Swiveling spout 360°
- Round aerated stream
- Total height 11-1/4"
- Height to aerator/spout outlet 6-3/8"
- Valve hole diameter 1-1/4"
- Spout hole diameter 1-3/8"
- Flange diameter 2-1/8"
- 2x 3/8" flexible supply lines
- Water flow rate limited to max. 1.2 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

(ADA)


Suitable only for basins with overflow.

| | | |
|---|--------------------------------|--------------------|
|  | Brushed Platinum | 20 713 882-06 0010 |
|  | Chrome | 20 713 882-00 0010 |
|  | Platinum | 20 713 882-08 0010 |
|  | Dark Chrome | 20 713 882-19 0010 |
|  | Brushed Durabronze (23kt Gold) | 20 713 882-28 0010 |
|  | Matte Black | 20 713 882-33 0010 |
|  | Brushed Dark Brass | 20 713 882-39 0010 |
|  | Brushed Bronze | 20 713 882-42 0010 |
|  | Brushed Champagne (22kt Gold) | 20 713 882-46 0010 |
|  | Champagne (22kt Gold) | 20 713 882-47 0010 |
|  | Brushed Chrome | 20 713 882-93 0010 |
|  | Brushed Dark Platinum | 20 713 882-99 0010 |

TARA Three-hole lavatory mixer with drain - Brushed Platinum

TARA

20 713 882 Product version from 6/30/2009 to 6/25/2021



Codes & Standards

| | | | |
|----------------|----------------|------------------------------------|------------|
| ADA | ASME A112.18.1 | California Energy Commission (CEC) | cUPC |
| EPA WaterSense | NSF372 | NSF61 | WaterSense |



Certificates and sustainability

| | | | |
|------------|-----------|------------|---------|
| IAPMO_8834 | IAPMO_N-4 | IAPMO_4976 | IAPMO_6 |
|------------|-----------|------------|---------|

TARA Three-hole lavatory mixer with drain - Brushed Platinum

TARA

20 713 882 Product version from 6/30/2009 to 6/25/2021

Parts for other
finishes can be found
here: [Chrome](#)

