



TARA Single-hole lavatory mixer with stand pipe without drain - Brushed Champagne (22kt Gold)

22 585 892 Product version from 4/1/2024



- 7-7/8" Projection
- Swiveling spout 360°
- Round aerated stream
- Total height 43-1/8" - 45-7/8"
- Height to aerator/spout outlet 40-3/8" - 43-1/8"
- Flange diameter 5-3/8"
- Water flow rate limited to max. 1.2 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB (ADA)

(ADA)

| | | |
|---|--------------------------------|--------------------|
|  | Brushed Champagne (22kt Gold) | 22 585 892-46 0010 |
|  | Chrome | 22 585 892-00 0010 |
|  | Brushed Platinum | 22 585 892-06 0010 |
|  | Platinum | 22 585 892-08 0010 |
|  | Dark Chrome | 22 585 892-19 0010 |
|  | Brushed Durabronze (23kt Gold) | 22 585 892-28 0010 |
|  | Matte Black | 22 585 892-33 0010 |
|  | Brushed Bronze | 22 585 892-42 0010 |
|  | Champagne (22kt Gold) | 22 585 892-47 0010 |
|  | Brushed Chrome | 22 585 892-93 0010 |
|  | Brushed Dark Platinum | 22 585 892-99 0010 |

Required article



Floor mounting rough set -


- Max. rough in depth "
- Min. rough in depth "

35 949 970-90 0010



TARA Single-hole lavatory mixer with stand pipe without drain - Brushed Champagne (22kt Gold)

22 585 892 Product version from 4/1/2024
mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|----------------|------------------------------------|------|--------|
| ASME A112.18.1 | California Energy Commission (CEC) | cUPC | NSF372 |
| NSF61 | | | |



TARA Single-hole lavatory mixer with stand pipe without drain - Brushed
Champagne (22kt Gold)

22 585 892 Product version from 4/1/2024

Certificates


IAPMO_4976

IAPMO_N-4

IAPMO_6

TARA Single-hole lavatory mixer with stand pipe without drain - Brushed Champagne (22kt Gold)

22 585 892 Product version from 4/1/2024



Spare parts list

| Number | Item Number | Designation | Number of units | Lead time |
|--------|--------------------|-------------|-----------------|-----------|
| 1 | 90 28 22 214 03-46 | spout | 1 | 30 |
| 2 | 90 20 89 010 10-46 | handle | 2 | 30 |
| 3 | 09 20 89 010-46 | handle | 2 | 60 |
| 4 | 90 12 12 219 00-46 | base | 2 | 30 |
| 5 | 90 30 11 029 00 90 | disc | 2 | 2 |
| 6 | 90 30 30 075 00 90 | screw | 2 | 2 |
| 7 | 90 90 03 151 00 90 | top | 2 | 2 |
| 8 | 09 30 30 054 90 | screw | 1 | 2 |
| 9 | 09 31 11 040 90 | pin | 1 | 2 |
| 10 | 09 24 03 193 90 | adaptor | 1 | 2 |
| 11 | 09 30 30 047 90 | screw | 1 | 2 |
| 12 | 09 14 10 139 90 | seal | 4 | 2 |
| 13 | 04 28 22 022 10 90 | connection | 2 | 2 |
| 14 | 04 31 11 002 00 90 | pin | 1 | 2 |
| 15 | 04 28 22 028 00-46 | pipe | 1 | 60 |
| 16 | 09 27 88 011-46 | rosette | 1 | 60 |
| 17 | 90 14 10 043 00 90 | seal | 1 | 2 |
| 18 | 09 14 10 084 90 | seal | 1 | 2 |
| 19 | 09 14 10 018 90 | seal | 1 | 2 |