



LULU Single-lever tub mixer with stand pipe for freestanding installation with hand shower set - Chrome



LULU

25 863 710



- Spout: Round aerated stream
 - Water flow rate limited to max. 7 gpm
 - Hand-held shower: COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
 - Baton hand shower with descaling system
 - Hand shower bracket
 - Integrated diverter
 - 8-1/2" Projection
 - Total height 36-3/4" - 39-1/2"
 - Lower body height 23-1/2" - 26-1/4"
 - Height to aerator/spout outlet 32-1/2" - 35-1/4"
 - Flange 5-1/8" x 5-1/8"
 - Metal shower hose 49-1/4" with anti-twist device
- NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90) Internal backflow preventer.**

NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90) Internal backflow preventer.

	Chrome	25 863 710-00
	Brushed Platinum	25 863 710-06


Required article




- Floor mounting rough set -35 949 970-90
- Max. rough in depth 5-7/8"0010
 - Min. rough in depth 3-1/8"

LULU Single-lever tub mixer with stand pipe for freestanding installation with hand shower set - Chrome

LULU



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	DIN 4109
EN 1717	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			



LULU Single-lever tub mixer with stand pipe for freestanding installation with hand shower set - Chrome

LULU

25 863 710

Certificates and sustainability

IAPMO_4976	Belgaqua_19_77	LGA_29	Belgaqua_24-003-2	WRAS_250502
------------	----------------	--------	-------------------	-------------

LULU Single-lever tub mixer with stand pipe for freestanding installation with hand shower set - Chrome

LULU

25 863 710





LULU Single-lever tub mixer with stand pipe for freestanding installation with hand shower set - Chrome

LULU

25 863 710

Spare parts list

Number	Item Number	Designation	Number of units	Lead time
26	09 20 80 022-00	handle	1.00	10
18	90 11 71 043 00-00	spout	1.00	10
32	04 28 22 024 00-00	pipe	1.00	10
14	09 24 03 069 90	nipple	1.00	2
21	09 14 10 148 90	seal	2.00	2
9	90 16 02 023 00 90	spring	1.00	2
23	09 24 04 298 90	nut	1.00	2
19	09 14 10 031 90	seal	1.00	2
24	09 14 10 037 90	seal	1.00	2
33	09 27 71 011-00	rosette	1.00	10
20	09 20 71 031-00	handle	1.00	10
12	09 21 34 080-00	nipple	1.00	10
36	09 14 10 018 90	seal	1.00	2
3	09 18 40 118 90	sleeve	1.00	2
35	09 14 10 084 90	seal	1.00	2
25	09 28 30 036-00	cover	1.00	10
22	90 15 05 039 00 90	cartridge	1.00	2
31	09 20 93 051 90	holder	2.00	2
30	04 28 22 025 00 90	connection	2.00	2
34	09 14 03 107 90	seal	1.00	2
8	09 24 03 130-00	nipple	1.00	10
17	04 31 20 034 00 90	plug	2.00	2
10	09 31 09 094 20-00	pull-rod	1.00	10
28	90 31 20 087 00-00	plug	1.00	10
29	09 14 10 139 90	seal	2.00	2
5	09 31 11 040 90	pin	3.00	2
4	09 31 11 058 90	pin	1.00	2
2	90 30 02 072 00-00	Metal shower hose 1/2" x 3/8" x 49-1/4" - Chrome	1.00	10
27	90 31 11 030 00 90	pin	1.00	2
7	90 14 10 010 00 90	seal	2.00	2
6	90 23 01 141 00 90	back-flow preventer	1.00	2
16	90 14 20 026 00 90	seal	1.00	2
11	90 14 10 055 00 90	seal	1.00	2
15	90 21 02 069 00-00	cover	1.00	10
13	90 14 10 033 00 90	seal	1.00	2
1	90 12 11 140 41-00	shower	1.00	10