

## VAIA Two-hole tub mixer for freestanding installation with hand shower set - Platinum

VAIA

25 943 819 Product version from 3/13/2017 to 5/27/2021



- Spout: Round aerated stream
- Water flow rate limited to max. 6.5 gpm
- Hand-held shower: COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Hand shower with descaling system
- 8-3/4" Projection
- Swiveling spout 360°
- Tub / shower diverter
- Total height 36-1/4"
- Riser height 24-3/4"
- Height to aerator/spout outlet 32-1/8"
- Flanges Ø 3-7/8"
- Center to center 5-7/8"
- Metal shower hose 49-1/4" with anti-twist device
- Hand shower to be mounted on right pillar

**Internal backflow preventer.**











**(ADA)**

**NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90)**

Internal backflow preventer.

(ADA)

NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90)

	Platinum	25 943 819-08
	Chrome	25 943 819-00
	Brushed Platinum	25 943 819-06
	Dark Chrome	25 943 819-19
	Brushed Durabronze (23kt Gold)	25 943 819-28
	Brushed Dark Brass	25 943 819-39
	Brushed Bronze	25 943 819-42
	Brushed Champagne (22kt Gold)	25 943 819-46
	Champagne (22kt Gold)	25 943 819-47
	Brushed Dark Platinum	25 943 819-99

### Required article



#### Floor mounting rough set -


- Max. rough in depth 6-1/4"
- Min. rough in depth 3-1/8"

35 951 970-90  
0010


## VAIA Two-hole tub mixer for freestanding installation with hand shower set - Platinum

VAIA

25 943 819 Product version from 3/13/2017 to 5/27/2021  
mm [inches]



Flow rate chart



### Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	DIN 4109
EN 1717	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen



VAIA Two-hole tub mixer for freestanding installation with hand shower set -  
Platinum

VAIA

---

25 943 819    Product version from 3/13/2017 to 5/27/2021

Certificates and sustainability


---

IAPMO_4976	Belgauqa_22_276_2	LGA_29	WRAS_240502
------------	-------------------	--------	-------------

# VAIA Two-hole tub mixer for freestanding installation with hand shower set - Platinum

VAIA

25 943 819 Product version from 3/13/2017 to 5/27/2021





## VAIA Two-hole tub mixer for freestanding installation with hand shower set - Platinum

VAIA

25 943 819 Product version from 3/13/2017 to 5/27/2021

### Spare parts list

Number	Item Number	Designation	Number of units	Lead time
19	09 28 10 028-08	sleeve	1.00	40
28	09 24 03 094-07	nipple	2.00	30
21	09 23 30 040-07	nut	2.00	30
7	90 20 80 013 01-08	handle ( hot )	1.00	40
3	90 28 22 317 00-08	spout	1.00	40
15	04 28 10 029 01-08	holder	1.00	40
2	90 90 03 130 00 90	top	1.00	2
1	90 20 80 012 01-08	handle ( cold )	1.00	40
16	09 29 05 021 20 90	nipple	2.00	2
20	90 27 80 019 00-08	rosette	2.00	40
26	04 28 22 009 20-08	connection	2.00	40
10	04 24 04 189 00-08	nipple	1.00	40
29	04 23 10 023 00 90	fixing set	6.00	2
9	90 20 80 015 02-08	handle	1.00	40
6	90 21 10 011 00 90	diverter	1.00	2
24	09 21 02 143-08	sleeve	1.00	40
32	09 24 03 080 90	extension	2.00	2
22	09 24 03 121-08	nipple	1.00	40
8	90 90 03 131 00 90	top	1.00	2
23	09 23 01 131 90	back-flow preventer	1.00	2
27	09 14 10 081 90	seal	2.00	2
31	09 24 03 081 10 90	extension	4.00	2
4	09 24 03 273-08	nipple	1.00	40
30	09 30 11 130-07	connection	2.00	30
17	09 14 10 112 90	seal	4.00	2
13	90 30 02 072 00-08	Metal shower hose 1/2" x 3/8" x 49-1/4" - Platinum	1.00	40
11	90 14 20 002 00 90	seal	1.00	2
18	90 14 10 055 00 90	seal	4.00	2
5	90 14 10 032 00 90	seal	1.00	2
14	90 18 40 035 00 90	sleeve	1.00	2
25	90 14 20 026 00 90	seal	1.00	2
12	90 12 11 140 41-08	shower	1.00	40