



VAIA Two-hole tub mixer for freestanding installation with hand shower set -  
Dark Chrome

VAIA

25 943 819



- Spout: Round aerated stream
- Water flow rate limited to max. 6.5 gpm
- Hand-held shower: COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Hand shower with descaling system
- 8-3/4" Projection
- Swiveling spout 360°
- Tub / shower diverter
- Total height 36-1/4"
- Riser height 24-3/4"
- Height to aerator/spout outlet 32-1/8"
- Flanges Ø 3-7/8"
- Center to center 5-7/8"
- Metal shower hose 49-1/4" with anti-twist device
- Hand shower to be mounted on right pillar

Internal backflow preventer.

(ADA)


NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90)

	Dark Chrome	25 943 819-19
	Chrome	25 943 819-00
	Brushed Platinum	25 943 819-06
	Platinum	25 943 819-08
	Brushed Durabronze (23kt Gold)	25 943 819-28
	Brushed Dark Brass	25 943 819-39
	Brushed Bronze	25 943 819-42
	Brushed Champagne (22kt Gold)	25 943 819-46
	Champagne (22kt Gold)	25 943 819-47
	Brushed Dark Platinum	25 943 819-99

## VAIA Two-hole tub mixer for freestanding installation with hand shower set - Dark Chrome

VAIA

25 943 819  
mm [inches]



Flow rate chart



### Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	DIN 4109
EN 1717	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen



VAIA Two-hole tub mixer for freestanding installation with hand shower set -  
Dark Chrome

VAIA

25 943 819

Certificates and sustainability

IAPMO\_4976

Belgauqa\_22\_276\_2 LGA\_29

WRAS\_240502

## VAIA Two-hole tub mixer for freestanding installation with hand shower set - Dark Chrome

VAIA

25 943 819

Parts for other  
finishes can be found  
here: [Chrome](#)

