

TARA Two-hole tub mixer for freestanding installation with hand shower set - Brushed Durabronze (23kt Gold)

25 943 892 Product version from 5/27/2021



- 8-5/8" Projection
 - Swiveling spout 180°
 - Hand-held shower: COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
 - Spout: Round aerated stream
 - Hand shower with descaling system
 - Tub / shower diverter
 - Total height 36-1/4"
 - Riser height 24-3/4"
 - Height to aerator/spout outlet 30-1/8"
 - Flanges Ø 3-1/2"
 - Center to center 5-7/8"
 - Metal shower hose 49-1/4" with anti-twist device
 - Hand shower to be mounted on right pillar
 - Water flow rate limited to max. 5.8 gpm
- NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90) Internal backflow preventer.**

NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90)

Internal backflow preventer.

	Brushed Durabronze (23kt Gold)	25 943 892-28
	Chrome	25 943 892-00
	Brushed Platinum	25 943 892-06
	Platinum	25 943 892-08
	Dark Chrome	25 943 892-19
	Matte Black	25 943 892-33
	Brushed Bronze	25 943 892-42
	Brushed Champagne (22kt Gold)	25 943 892-46
	Champagne (22kt Gold)	25 943 892-47
	Brushed Chrome	25 943 892-93
	Brushed Dark Platinum	25 943 892-99


Required article




- Floor mounting rough set -** 35 951 970-90
- Max. rough in depth "
 - Min. rough in depth "

TARA Two-hole tub mixer for freestanding installation with hand shower set - Brushed Durabron (23kt Gold)

25 943 892 Product version from 5/27/2021
mm [inches]



Flow rate chart



Codes & Standards

ASME
A112.18.1/CSA
B125.1

DIN 4109

EN 1717

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



TARA Two-hole tub mixer for freestanding installation with hand shower set - Brushed Durabronz (23kt Gold)

25 943 892 Product version from 5/27/2021

Certificates


WRAS_2212

LGA_18

Belgaqua_21-033-2

TARA Two-hole tub mixer for freestanding installation with hand shower set - Brushed Durabronz (23kt Gold)

25 943 892 Product version from 5/27/2021





TARA Two-hole tub mixer for freestanding installation with hand shower set - Brushed Durabrand (23kt Gold)

25 943 892 Product version from 5/27/2021

Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 20 89 010 10-28	handle	2	20
2	09 20 89 010-28	handle	2	60
3	90 12 12 007 00-28	base	2	20
4	90 30 11 029 00 90	disc	2	2
5	90 30 30 075 00 90	screw	2	2
6	90 90 03 131 00 90	top	2	2
7	90 28 22 222 00-28	spout	1	20
8	90 21 10 011 00 90	diverter	1	2
9	04 24 04 189 00-28	nipple	1	20
10	90 12 11 140 41-28	shower	1	20
11	90 30 02 072 00-28	Metal shower hose 1/2" x 3/8" x 49-1/4" - Brushed Durabrand (23kt Gold)	1	20
12	90 18 40 035 00 90	sleeve	1	2
13	04 28 10 029 01-28	holder	1	20
14	09 29 05 021 20 90	nipple	2	2
15	09 14 10 112 90	seal	4	2
16	90 14 10 055 00 90	seal	4	2
17	09 14 10 041 90	seal	2	2
18	09 27 89 025-28	rosette	2	20
19	09 23 30 040-07	nut	2	30
20	04 28 22 009 20-28	connection	2	20
21	09 14 10 081 90	seal	2	2
22	09 24 03 094-07	nipple	2	30
23	04 23 10 023 00 90	fixing set	6	2
24	09 30 11 130-07	connection	2	30
25	09 24 03 081 10 90	extension	4	2
26	09 24 03 080 90	extension	2	2
27	90 15 01 005 00 90	insert	1	2
28	90 18 20 025 00-28	diverter	1	20
29	09 28 10 028-28	sleeve	1	20
30	90 14 10 032 00 90	seal	1	2
31	09 24 03 121-28	nipple	1	20
32	09 23 01 131 90	back-flow preventer	1	2
33	09 21 02 143-28	sleeve	1	20
34	90 14 20 026 00 90	seal	1	2