

# TARA Two-hole tub mixer for freestanding installation with hand shower set - Brushed Durabronze (23kt Gold)

TARA

25 943 892 Product version up to 5/27/2021



- 8-5/8" Projection
- Swiveling spout 180°
- Hand-held shower: COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Spout: Round aerated stream
- Hand shower with descaling system
- Tub / shower diverter
- Total height 36-1/4"
- Riser height 24-3/4"
- Height to aerator/spout outlet 30-1/8"
- Flanges Ø 3-1/2"
- Center to center 5-7/8"
- Metal shower hose 49-1/4" with anti-twist device
- Hand shower to be mounted on right pillar
- Water flow rate limited to max. 5.8 gpm

**NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90) Internal backflow preventer.**

NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90)

Internal backflow preventer.

	Brushed Durabronze (23kt Gold)	25 943 892-28
	Chrome	25 943 892-00
	Brushed Platinum	25 943 892-06
	Platinum	25 943 892-08
	Dark Chrome	25 943 892-19
	Matte Black	25 943 892-33
	Brushed Dark Brass	25 943 892-39
	Brushed Bronze	25 943 892-42
	Brushed Champagne (22kt Gold)	25 943 892-46
	Champagne (22kt Gold)	25 943 892-47
	Brushed Chrome	25 943 892-93
	Brushed Dark Platinum	25 943 892-99

## Required article



### Floor mounting rough set -

- Max. rough in depth 6-1/4"
- Min. rough in depth 3-1/8"

35 951 970-90  
0010

## TARA Two-hole tub mixer for freestanding installation with hand shower set - Brushed Durabron (23kt Gold)

TARA

25 943 892 Product version up to 5/27/2021  
mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109

EN 1717

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



TARA Two-hole tub mixer for freestanding installation with hand shower set -  
Brushed Durabrass (23kt Gold)

TARA

25 943 892    Product version up to 5/27/2021


Certificates and sustainability

WRAS_2212	LGA_18	Belgaqua_21-033-2
-----------	--------	-------------------

# TARA Two-hole tub mixer for freestanding installation with hand shower set - Brushed Durabronz (23kt Gold)

TARA

25 943 892 Product version up to 5/27/2021







## TARA Two-hole tub mixer for freestanding installation with hand shower set - Brushed Durabron (23kt Gold)

TARA

25 943 892 Product version up to 5/27/2021

### Spare parts list

Number	Item Number	Designation	Number of units	Lead time
6	90 90 03 131 00 90	top	2.00	2
25	09 24 03 081 10 90	extension	4.00	2
2	09 20 89 010-28	handle	2.00	60
18	09 27 89 025-28	rosette	2.00	20
33	09 21 02 143-28	sleeve	1.00	20
3	90 12 12 007 00-28	base	2.00	20
8	90 21 10 011 00 90	diverter	1.00	2
23	04 23 10 023 00 90	fixing set	6.00	2
32	09 23 01 131 90	back-flow preventer	1.00	2
22	09 24 03 094-07	nipple	2.00	30
21	09 14 10 081 90	seal	2.00	2
19	09 23 30 040-07	nut	2.00	30
9	04 24 04 189 00-28	nipple	1.00	20
29	09 28 10 028-28	sleeve	1.00	20
20	04 28 22 009 20-28	connection	2.00	20
27	90 15 01 005 00 90	insert	1.00	2
28	90 18 20 025 00-28	diverter	1.00	20
14	09 29 05 021 20 90	nipple	2.00	2
15	09 14 10 112 90	seal	4.00	2
7	90 28 22 222 00-28	spout	1.00	20
13	04 28 10 029 01-28	holder	1.00	20
11	90 30 02 072 00-28	Metal shower hose 1/2" x 3/8" x 49-1/4" - Brushed Durabron (23kt Gold)	1.00	20
31	09 24 03 121-28	nipple	1.00	20
17	09 14 10 041 90	seal	2.00	2
24	09 30 11 130-07	connection	2.00	30
26	09 24 03 080 90	extension	2.00	2
12	90 18 40 035 00 90	sleeve	1.00	2
34	90 14 20 026 00 90	seal	1.00	2
1	90 20 89 010 10-28	handle	2.00	20
4	90 30 11 029 00 90	disc	2.00	2
30	90 14 10 032 00 90	seal	1.00	2
16	90 14 10 055 00 90	seal	4.00	2
5	90 30 30 075 00 90	screw	2.00	2
10	90 12 11 140 41-28	shower	1.00	20