

## META Deck-mounted tub mixer, with hand shower set for deck-mounted tub installation - Dark Chrome

META

27 632 661



- Spout: Round aerated stream
- Water flow rate limited to max. 6.2 gpm
- Hand-held shower: COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Hand shower set with anti-scale technology
- Integrated diverter
- 8-3/4" Projection
- Total height 12-1/2"
- Height to aerator/spout outlet 8-1/2"
- Spout hole diameter 1-3/8"
- Hole diameter single-lever mixer 1-3/8"
- Hole diameter for hand shower set 1-1/4"
- 2-1/8" diameter flange for spout
- Mixer with flange Ø 2-1/8"
- Hand shower set with flange Ø 2-3/8"
- Metal shower hose 68-7/8" with anti-twist device


Internal backflow preventer.

NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90)


	Dark Chrome	27 632 661-19
	Chrome	27 632 661-00
	Brushed Platinum	27 632 661-06
	Light gold	27 632 661-26
	Brushed Light Gold	27 632 661-27
	Matte Black	27 632 661-33
	Brushed Dark Brass	27 632 661-39
	Brushed Bronze	27 632 661-42
	Brushed Champagne (22kt Gold)	27 632 661-46
	Champagne (22kt Gold)	27 632 661-47
	Brushed Chrome	27 632 661-93
	Brushed Dark Platinum	27 632 661-99

## META Deck-mounted tub mixer, with hand shower set for deck-mounted tub installation - Dark Chrome

META



Flow rate chart



### Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	DIN 4109
ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen



META Deck-mounted tub mixer, with hand shower set for deck-mounted tub installation - Dark Chrome

META

27 632 661

Certificates and sustainability

LGA\_38

WRAS\_2207

IAPMO\_4976

## META Deck-mounted tub mixer, with hand shower set for deck-mounted tub installation - Dark Chrome

META

27 632 661

Parts for other  
finishes can be found  
here: [Chrome](#)

