

27 702 809




- COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
 - Descaling system
 - Flange diameter 2-3/8"
 - 1-1/4" hole diameter
 - Metal shower hose 68-7/8" with anti-twist device
- Internal backflow preventer.

	Dark Chrome	27 702 809-19
	Chrome	27 702 809-00
	Brushed Platinum	27 702 809-06
	Platinum	27 702 809-08
	Brushed Durabronze (23kt Gold)	27 702 809-28
	Brushed Dark Brass	27 702 809-39
	Brushed Bronze	27 702 809-42
	Brushed Champagne (22kt Gold)	27 702 809-46
	Champagne (22kt Gold)	27 702 809-47
	Brushed Dark Platinum	27 702 809-99

27 702 809

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	EN 1717
Scottish Water Byelaws	UK Water Supply Regulations		



VAIA Hand shower set for deck-mounted tub installation - Dark Chrome

VAIA

27 702 809

Certificates and sustainability

Belgaqua_22_282_2 IAPMO_4976

WRAS_2209

27 702 809

Parts for other
finishes can be found
here: [Chrome](#)

