



Hand shower set for deck-mounted tub installation - Brushed Champagne (22kt SERIES SPECIFIC Gold)

27 702 979 Product version from 5/15/2020



- COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Descaling system
- Flange diameter 2"
- 1-1/4" hole diameter
- Metal shower hose 68-7/8" with anti-twist device

Subsequent shower hose replacement possible without removing the fitting due to two-part construction.


Internal backflow preventer.

	Brushed Champagne (22kt Gold)	27 702 979-46
	Chrome	27 702 979-00
	Brushed Platinum	27 702 979-06
	Platinum	27 702 979-08
	Durabrass (23kt Gold)	27 702 979-09
	Dark Chrome	27 702 979-19
	Brushed Light Gold	27 702 979-27
	Brushed Durabrass (23kt Gold)	27 702 979-28
	Matte Black	27 702 979-33
	Brushed Dark Brass	27 702 979-39
	Brushed Bronze	27 702 979-42
	Champagne (22kt Gold)	27 702 979-47
	Brushed Chrome	27 702 979-93
	Brushed Dark Platinum	27 702 979-99



Hand shower set for deck-mounted tub installation - Brushed Champagne (22kt SERIES SPECIFIC Gold)

27 702 979 Product version from 5/15/2020
mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	DIN 4109
EN 1717	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			



Hand shower set for deck-mounted tub installation - Brushed Champagne (22kt SERIES SPECIFIC Gold)

27 702 979 Product version from 5/15/2020

Certificates and sustainability

LGA_29	IAPMO_4976	Belgaqua_21-383-2	WRAS_2209
--------	------------	-------------------	-----------

Hand shower set for deck-mounted tub installation - Brushed Champagne (22kt SERIES SPECIFIC Gold)

27 702 979 Product version from 5/15/2020
 Parts for other
 finishes can be found
 here: Chrome

