

TARA Hand shower set with individual flanges FlowReduce - Brushed Dark Brass

TARA

27 802 892 Product version from 4/1/2024



- COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- 1/2" Shower outlet
- Metal shower hose 49-1/4" with anti-twist device
- Descaling system

Technical data:

- Wall elbow with flange Ø 2-1/8"
- Wall bracket with flange Ø 2-1/8"
- 1/2" wall elbow

Notes:


Internal backflow preventer.

	Brushed Dark Brass	27 802 892-39 0010
	Chrome	27 802 892-00 0010
	Brushed Platinum	27 802 892-06 0010
	Platinum	27 802 892-08 0010
	Dark Chrome	27 802 892-19 0010
	Brushed Durabronze (23kt Gold)	27 802 892-28 0010
	Matte Black	27 802 892-33 0010
	Brushed Bronze	27 802 892-42 0010
	Brushed Champagne (22kt Gold)	27 802 892-46 0010
	Champagne (22kt Gold)	27 802 892-47 0010
	Brushed Chrome	27 802 892-93 0010
	Brushed Dark Platinum	27 802 892-99 0010

TARA Hand shower set with individual flanges FlowReduce - Brushed Dark Brass

TARA

27 802 892 Product version from 4/1/2024
mm [inches]



Codes & Standards

California Energy
Commission
(CEC)

DIN 4109

ISO 3822


Ü-Zeichen

Certificates and sustainability

LGA_29

TARA Hand shower set with individual flanges FlowReduce - Brushed Dark Brass
TARA

27 802 892 Product version from 4/1/2024
Parts for other finishes can be found here: [Chrome](#)



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
3	28 050 892-39	TARA Wall bracket - Brushed Dark Brass	1.00	30
4	90 12 11 140 41-39	shower	1.00	30
2	28 104 970-39	Metal shower hose 1/2" x 1/2" x 49-1/4" - Brushed Dark Brass	1.00	30
1	28 450 892-39	connection	1.00	-

Spare part can no longer be ordered, please order the replacement item