










- 3-way or 5-way adjustable: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, flow rate max. 1.8 gpm (at 3 bar)
- Metal shower hose 49-1/4" with anti-twist device
- 3/8" Shower outlet
- Descaling system

Technical data:


- Flange for wall elbow 2-3/8" x 3-1/8"
- Wall bracket with flange 2-3/8" x 3-1/8"
- 1/2" wall elbow

Notes:

Internal backflow preventer.

	Brushed Chrome	27 803 845-93 0010
	Chrome	27 803 845-00 0010
	Brushed Platinum	27 803 845-06 0010
	Dark Chrome	27 803 845-19 0010
	Brushed Light Gold	27 803 845-27 0010
	Matte Black	27 803 845-33 0010
	Brushed Dark Platinum	27 803 845-99 0010

Parts for other finishes can be found here: [Chrome](#)



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
4	90 30 02 072 00-93	Metal shower hose 1/2" x 3/8" x 49-1/4" - Brushed Chrome	1.00	20
3	28 050 845-93	LISSÉ Wall bracket - Brushed Chrome	1.00	20
1	28 450 845-93	LISSÉ Wall elbow - Brushed Chrome	1.00	10
5	28 014 979-93 0010	Hand shower - Brushed Chrome	1.00	-
Spare part can no longer be ordered, please order the replacement item				
28018979-930010		Hand shower FlowReduce - Brushed Chrome		
2	90 14 20 026 00 90	seal	1.00	2