



LULU Hand shower set with individual flanges FlowReduce - Brushed Platinum

LULU

27 808 710



- COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- 3/8" Shower outlet
- Descaling system
- Metal shower hose 49-1/4" with anti-twist device



Brushed Platinum

27 808 710-06 0010



Chrome

27 808 710-00 0010

Technical data:

- Flange for wall elbow 3-1/8" x 2-1/8"
- Wall bracket with flange 3-1/8" x 2-1/8"
- 1/2" wall elbow

Notes:

Internal backflow preventer.

Internal backflow preventer.

Required article


Rough-in adapter -

35 080 970-90  
0010



27 808 710

mm [inches]




Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	DIN 4109
ISO 3822	Ü-Zeichen		

Certificates and sustainability

LGA_29	IAPMO_4976
--------	------------



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	28 450 710-06	LULU Wall elbow - Brushed Platinum	1.00	10
2	28 050 710-06	LULU Wall bracket - Brushed Platinum	1.00	-
Spare part can no longer be ordered, please order the replacement item				
3	90 30 02 072 00-06	Metal shower hose 1/2" x 3/8" x 49-1/4" - Brushed Platinum	1.00	10
4	90 12 11 140 41-06	shower	1.00	10