

SERIES-VARIOUS Hand shower FlowReduce - Brushed Platinum

SERIES-VARIOUS

28 029 979 Product version from 4/1/2024



- COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Descaling system
- 1/2" connection
- This product reduces water consumption by 28% (compared to requirements of EPA '92)
- This product contributes to meeting the requirements of the LEED® Green Building Rating
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Internal backflow preventer.

| | | |
|---|-------------------------------|--------------------|
|  | Brushed Platinum | 28 029 979-06 0010 |
|  | Chrome | 28 029 979-00 0010 |
|  | Platinum | 28 029 979-08 0010 |
|  | Dark Chrome | 28 029 979-19 0010 |
|  | Light gold | 28 029 979-26 0010 |
|  | Brushed Light Gold | 28 029 979-27 0010 |
|  | Brushed Durabrass (23kt Gold) | 28 029 979-28 0010 |
|  | Matte Black | 28 029 979-33 0010 |
|  | Brushed Champagne (22kt Gold) | 28 029 979-46 0010 |
|  | Champagne (22kt Gold) | 28 029 979-47 0010 |
|  | Brushed Chrome | 28 029 979-93 0010 |
|  | Brushed Dark Platinum | 28 029 979-99 0010 |



SERIES-VARIOUS Hand shower FlowReduce - Brushed Platinum

SERIES-VARIOUS

28 029 979 Product version from 4/1/2024

mm [inches]




Codes & Standards

| | | | |
|------------------------|-----------------------------|-----------|----------|
| ASME A112.18.1 | cUPC | DIN 4109 | ISO 3822 |
| Scottish Water Byelaws | UK Water Supply Regulations | Ü-Zeichen | |

Certificates and sustainability

| | | | |
|--------|-------------|--------------|--|
| LGA_38 | WRAS_250102 | IAPMO_4976 (| |
|--------|-------------|--------------|--|

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

| Number | Item Number | Designation | Number of units | Lead time |
|--------|-----------------|-------------|-----------------|-----------|
| 1 | 09 23 01 039 90 | sieve | 1.00 | 2 |
| 2 | 09 21 02 153-06 | cap | 1.00 | 10 |