


## Rain shower , ceiling-mounted with light 11-3/4" - Brushed Platinum

28 032 970 Product version from 5/1/2022



- Rain shower diameter 11-3/4"
- PURE RAIN, flow rate max. 1.8 gpm (at 3 bar)
- PURIFY RAIN, flow rate max. 1.6 gpm (at 3 bar)
- Distance between ceiling and bottom of showerhead 1-5/8"
- Descaling system

### Ceiling module power supply

- 350mA (CC)

### Spot lighting





- LED color temperature: approx. 3000 K
- Lights protected against splashing
- Includes lights rated at energy efficiency class
- Technology: LED, not dimmable
- Light switch not included

### Environment

- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Observe the regulations concerning protected zones specified in DIN VDE 0100, Part 701 (IEC 60364-7-701).

**To meet the North American plumbing standards, this application must be installed with a diverter (rough included).**

To meet the North American plumbing standards, this application must be installed with a diverter (rough included).

	Brushed Platinum	28 032 970-06 0010
	Chrome	28 032 970-00 0010
	Platinum	28 032 970-08 0010
	Dark Chrome	28 032 970-19 0010
	Light gold	28 032 970-26 0010
	Brushed Light Gold	28 032 970-27 0010
	Brushed Durabronze (23kt Gold)	28 032 970-28 0010
	Matte Black	28 032 970-33 0010
	Brushed Bronze	28 032 970-42 0010
	Brushed Champagne (22kt Gold)	28 032 970-46 0010
	Champagne (22kt Gold)	28 032 970-47 0010
	Brushed Chrome	28 032 970-93 0010
	Brushed Dark Platinum	28 032 970-99 0010

### Required article



#### Installation rough , ceiling-mounted with light -


35 042 970-90  
0010

- Max. rough in depth "
- Light switch not included
- Min. rough in depth "
- Pre-assembly kit for three-way diverter included




Rain shower , ceiling-mounted with light 11-3/4" - Brushed Platinum

28 032 970    Product version from 5/1/2022



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	EPA WaterSense
Water Sense	WaterSense		





## Rain shower , ceiling-mounted with light 11-3/4" - Brushed Platinum

---

28 032 970 Product version from 5/1/2022

### Certificates


---

IAPMO\_11777

IAPMO\_4976

# Rain shower , ceiling-mounted with light 11-3/4" - Brushed Platinum

28 032 970    Product version from 5/1/2022



## Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 17 20 263 00 90	fixing set	1	2
2	90 24 03 309 02 90	connection	2	2
3	90 10 01 225 00 90	electronic accessories	1	2