

Showerhead - Dark Chrome

SERIES SPECIFIC

28 505 979



- Ø 3-7/8"
- 3-way or 5-way adjustable: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, flow rate max. 1.8 gpm (at 3 bar)
- Function from: 1.6 gpm
- Descaling system

Technical data:

- 6-1/8" Projection
- swivels 18°
- Flange diameter 2-3/8"
- 1/2" connection

| | | |
|---|-------------------------------------|--------------------|
|  | Dark Chrome | 28 505 979-19 0010 |
|  | Chrome | 28 505 979-00 0010 |
|  | Brushed Platinum | 28 505 979-06 0010 |
|  | Platinum | 28 505 979-08 0010 |
|  | Light gold | 28 505 979-26 0010 |
|  | Brushed Light Gold | 28 505 979-27 0010 |
|  | Brushed Durabronze (23kt Gold) | 28 505 979-28 0010 |
|  | Matte Black | 28 505 979-33 0010 |
|  | Brushed Dark Brass | 28 505 979-39 0010 |
|  | Brushed Bronze | 28 505 979-42 0010 |
|  | Brushed Champagne (22kt Gold) | 28 505 979-46 0010 |
|  | Champagne (22kt Gold) | 28 505 979-47 0010 |
|  | Brushed Chrome | 28 505 979-93 0010 |
|  | Brushed Dark Platinum | 28 505 979-99 0010 |




Showerhead - Dark Chrome

SERIES SPECIFIC

28 505 979

mm [inches]



Codes & Standards

| | | | |
|----------------|------------------------------------|------|----------------|
| ASME A112.18.1 | California Energy Commission (CEC) | cUPC | EPA WaterSense |
| WaterSense | | | |

Certificates and sustainability

| | |
|------------|-------------|
| IAPMO_4976 | IAPMO_11777 |
|------------|-------------|

Showerhead - Dark Chrome

SERIES SPECIFIC

28 505 979

Parts for other
finishes can be found
here: [Chrome](#)

