

MADISON Showerhead FlowReduce - Durabrand (23kt Gold)

MADISON








28 508 360 Product version from 7/1/2025



- Ø 3-3/4"
- 3-way adjustable: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, flow rate max. 2 gpm (at 3 bar)
- Function from: gpm
- Descaling system

Technical data:

- 7-7/8" Projection
- Ball-joint pivotable through 30°
- Flange diameter 2-1/8"
- 1/2" connection

	Durabrand (23kt Gold)	28 508 360-09 0010
	Chrome	28 508 360-00 0010
	Brushed Platinum	28 508 360-06 0010
	Platinum	28 508 360-08 0010
	Brushed Durabrand (23kt Gold)	28 508 360-28 0010
	Brushed Dark Brass	28 508 360-39 0010
	Brushed Dark Platinum	28 508 360-99 0010

mm [inches]



Codes & Standards

DIN 4109	ISO 3822	Ü-Zeichen
----------	----------	-----------

Certificates and sustainability

LGA_38

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
3	09 11 03 011-09	connection	1.00	60
1	09 27 35 003-09	rosette	1.00	40
4	04 12 11 120 01-09	shower	1.00	40
2	90 14 10 026 00 90	seal	1.00	2