

Body spray without diverter FlowReduce - Durabrass (23kt Gold)

SERIES SPECIFIC

28 518 979 Product version from 4/1/2024



- Ø 2-1/8"
- swivels 25°
- HORIZONTAL RAIN, flow rate max. 1.3 gpm (at 3 bar)
- Descaling system
- Flange diameter 2-1/8"
- 1/2" connection
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

|   |                               |               |
|---|-------------------------------|---------------|
|    | Durabrass (23kt Gold)         | 28 518 979-09 |
|    | Chrome                        | 28 518 979-00 |
|    | Brushed Platinum              | 28 518 979-06 |
|    | Platinum                      | 28 518 979-08 |
|    | Dark Chrome                   | 28 518 979-19 |
|    | Light gold                    | 28 518 979-26 |
|    | Brushed Light Gold            | 28 518 979-27 |
|    | Brushed Durabrass (23kt Gold) | 28 518 979-28 |
|    | Matte Black                   | 28 518 979-33 |
|   | Brushed Bronze                | 28 518 979-42 |
|  | Brushed Champagne (22kt Gold) | 28 518 979-46 |
|  | Champagne (22kt Gold)         | 28 518 979-47 |
|  | Brushed Chrome                | 28 518 979-93 |
|  | Brushed Dark Platinum         | 28 518 979-99 |


Required article

Rough-in adapter -


35 080 970-90  
0010




mm [inches]



Flow rate chart



Trajectory length diagram



Codes & Standards

|                |                                    |                             |           |
|----------------|------------------------------------|-----------------------------|-----------|
| ASME A112.18.1 | California Energy Commission (CEC) | cUPC                        | DIN 4109  |
| ISO 3822       | Scottish Water Byelaws             | UK Water Supply Regulations | Ü-Zeichen |



Body spray without diverter FlowReduce - Durabrass (23kt Gold)

SERIES SPECIFIC

28 518 979 Product version from 4/1/2024

Certificates and sustainability

|        |            |             |
|--------|------------|-------------|
| LGA_38 | IAPMO_4976 | WRAS_240602 |
|--------|------------|-------------|



## Spare parts list

| Number   | Item Number        | Designation           | Number of units | Lead time |
|--|--------------------|-----------------------|-----------------|-----------|
| 6  | 09 23 01 048 90    | back-flow preventer   | 1.00            | 2         |
| 4  | 09 14 15 010 90    | ring                  | 1.00            | 2         |
| 7  | 09 21 40 016-09    | connection            | 1.00            | 40        |
| 3  | 09 23 30 026-09    | nut                   | 1.00            | 40        |
| 9  | 90 12 05 027 00-09 | casing ( completely ) | 1.00            | -         |
| Spare part can no longer be ordered, please order the replacement item |                    |                       |                 |           |
| 8  | 09 14 10 015 90    | seal                  | 1.00            | 2         |
| 5  | 09 16 01 014 90    | ring                  | 1.00            | 2         |
| 1  | 90 14 10 026 00 90 | seal                  | 1.00            | 2         |
| 2  | 09 27 22 019-09    | 092722019-09          | 1.00            | 60        |