

MADISON Rain shower wall-mounted 7-7/8" - Brushed Dark Platinum


28 545 977    Product version from 12/5/2019




- 17-1/8" Projection
- Rain shower: PURE RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Descaling system
- Rain shower diameter 7-7/8"
- Flange diameter 2-1/8"
- 1/2" connection
- This product reduces water consumption by 28% (compared to requirements of EPAct '92)
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Dark Platinum	28 545 977-99 0010
	Chrome	28 545 977-00 0010
	Brushed Platinum	28 545 977-06 0010
	Platinum	28 545 977-08 0010
	Durabrass (23kt Gold)	28 545 977-09 0010
	Brushed Durabrass (23kt Gold)	28 545 977-28 0010

Required article

	<b>Concealed wall elbow -</b> •Max. rough in depth " •Min. rough in depth "	35 085 970-90 0010
---	---	--------------------


Required article

	<b>Concealed wall elbow -</b> •Max. rough in depth " •Min. rough in depth "	35 085 970-90 0010
---	---	--------------------




MADISON Rain shower wall-mounted 7-7/8" - Brushed Dark Platinum


28 545 977    Product version from 12/5/2019



Flow rate chart



Codes & Standards

ASME A112.18.1	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)	cUPC
EPA WaterSense	Water Sense	WaterSense	



## MADISON Rain shower wall-mounted 7-7/8" - Brushed Dark Platinum

---

28 545 977 Product version from 12/5/2019

### Certificates

---

IAPMO\_4976

IAPMO\_11777

# MADISON Rain shower wall-mounted 7-7/8" - Brushed Dark Platinum

28 545 977    Product version from 12/5/2019



## Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	09 27 35 003-99	rosette	1	20
2	90 14 10 026 00 90	seal	1	2
3	09 11 03 017-99	connection	1	20
4	04 12 05 038 30-99	shower	1	20