














# Single-lever tub mixer for deck-mounted tub installation - Brushed Light Gold

29 300 670    Product version from 6/1/2024



- Flange 2-3/8" x 2-3/8"
- 1-3/8" hole diameter
- Water flow rate limited to max. 9.4 gpm


NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90) (ADA)

|   |                               |               |
|---|-------------------------------|---------------|
|    | Brushed Light Gold            | 29 300 670-27 |
|    | Chrome                        | 29 300 670-00 |
|    | Brushed Platinum              | 29 300 670-06 |
|    | Platinum                      | 29 300 670-08 |
|    | Dark Chrome                   | 29 300 670-19 |
|    | Brushed Durabrass (23kt Gold) | 29 300 670-28 |
|    | Matte Black                   | 29 300 670-33 |
|    | Brushed Champagne (22kt Gold) | 29 300 670-46 |
|    | Champagne (22kt Gold)         | 29 300 670-47 |
|   | Brushed Chrome                | 29 300 670-93 |
|  | Brushed Dark Platinum         | 29 300 670-99 |


Single-lever tub mixer for deck-mounted tub installation - Brushed Light Gold

29 300 670 Product version from 6/1/2024

mm [inches]



Flow rate chart



Codes & Standards

ASME  
A112.18.1/CSA  
B125.1

DIN 4109

ISO 3822

Ü-Zeichen



## Single-lever tub mixer for deck-mounted tub installation - Brushed Light Gold

---

29 300 670 Product version from 6/1/2024

### Certificates


---

LGA\_29

Single-lever tub mixer for deck-mounted tub installation - Brushed Light Gold

29 300 670 Product version from 6/1/2024

Parts for other  
finishes can be found  
here: [Chrome](#)



Spare parts list

| Number | Item Number        | Designation        | Number of units | Lead time |
|--------|--------------------|--------------------|-----------------|-----------|
| 1      | 90 31 20 087 00-27 | plug               | 1               | 30        |
| 2      | 90 31 11 063 00 90 | pin                | 1               | 2         |
| 3      | 09 20 67 014-27    | handle             | 1               | 60        |
| 4      | 09 28 30 037-27    | cover              | 1               | 60        |
| 5      | 09 31 11 044 90    | pin                | 1               | 2         |
| 6      | 09 27 67 016-27    | rosette            | 1               | 60        |
| 7      | 09 24 04 448 90    | nut                | 1               | 2         |
| 8      | 90 15 05 039 00 90 | cartridge          | 1               | 2         |
| 9      | 09 14 10 201 90    | seal               | 2               | 2         |
| 10     | 09 30 11 060 90    | disc               | 1               | 2         |
| 11     | 04 23 10 044 02 90 | fixing set         | 1               | 2         |
| 12     | 04 23 30 041 00 90 | threaded connector | 1               | 2         |
| 13     | 04 30 04 021 00 90 | hose               | 2               | 2         |
| 14     | 09 24 03 185-00    | nipple             | 2               | 10        |
| 15     | 09 14 05 004 90    | seal               | 2               | 2         |