



VAIA Pillar-tap, wall-mounted cold water only without drain - Champagne (22kt Gold)

VAIA

30 010 809 Product version from 4/1/2025



- 6" Projection
 - Rigid spout
 - Round aerated stream
 - Adapter, male thread 3/4"
 - 1-3/8" hole diameter
 - Flange diameter 2-3/8"
 - Water flow rate limited to max. 1.2 gpm
 - lead-free
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- (ADA)

| | | |
|--|--------------------------------|--------------------|
| | Champagne (22kt Gold) | 30 010 809-47 0010 |
| | Chrome | 30 010 809-00 0010 |
| | Brushed Platinum | 30 010 809-06 0010 |
| | Platinum | 30 010 809-08 0010 |
| | Dark Chrome | 30 010 809-19 0010 |
| | Brushed Durabronze (23kt Gold) | 30 010 809-28 0010 |
| | Brushed Dark Brass | 30 010 809-39 0010 |
| | Brushed Bronze | 30 010 809-42 0010 |
| | Brushed Champagne (22kt Gold) | 30 010 809-46 0010 |
| | Brushed Dark Platinum | 30 010 809-99 0010 |


Recommended article

| | | |
|--|---|--------------------|
| | Concealed wall elbow - <ul style="list-style-type: none">•Min. rough in depth 3-1/2"•Max. rough in depth 6-3/8" | 35 085 970-90 0010 |
|--|---|--------------------|

VAIA Pillar-tap, wall-mounted cold water only without drain - Champagne (22kt Gold)

VAIA

30 010 809 Product version from 4/1/2025
mm [inches]




Codes & Standards

| | | | |
|----------------|----------------|------------------------------------|------------|
| ADA | ASME A112.18.1 | California Energy Commission (CEC) | cUPC |
| EPA WaterSense | NSF372 | NSF61 | WaterSense |



Certificates and sustainability

| | | | |
|------------|--------------|------------|--------------|
| IAPMO_6397 | IAPMO_N-4976 | IAPMO_8834 | IAPMO_4976 (|
|------------|--------------|------------|--------------|



Spare parts list

| Number | Item Number | Designation | Number of units | Lead time |
|--------|--------------------|-------------|-----------------|-----------|
| 1 | 90 20 66 025 00-47 | handle | 1.00 | 30 |
| 3 | 90 28 22 381 01-47 | spout | 1.00 | 30 |
| 2 | 90 90 03 175 00 90 | top | 1.00 | 2 |
| 5 | 09 24 03 269 90 | nipple | 1.00 | 2 |
| 4 | 90 14 10 060 00 90 | seal | 1.00 | 2 |