

TARA ULTRA POT FILLER Cold water valve - Brushed Platinum

TARA ULTRA

30 805 875 Product version from 10/1/2024



- 19-5/8" Projection
- Swiveling spout
- Laminar stream
- One water inlet, no mixing function
- Water flow rate limited to max. 1.5 gpm
- Two valves for on / off function
- Min. rough in depth 4-7/8"
- Max. rough in depth 3-1/8"
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB


| | | |
|---|--------------------------------|---------------|
|  | Brushed Platinum | 30 805 875-06 |
|  | Chrome | 30 805 875-00 |
|  | Platinum | 30 805 875-08 |
|  | Durabronze (23kt Gold) | 30 805 875-09 |
|  | Dark Chrome | 30 805 875-19 |
|  | Brushed Durabronze (23kt Gold) | 30 805 875-28 |
|  | Brushed Bronze | 30 805 875-42 |
|  | Brushed Champagne (22kt Gold) | 30 805 875-46 |
|  | Champagne (22kt Gold) | 30 805 875-47 |
|  | Brushed Chrome | 30 805 875-93 |
|  | Brushed Dark Platinum | 30 805 875-99 |

Required article




- POT FILLER Rough-in wall elbow - 35 087 970-90 0010**
- Max. rough in depth 4-7/8"
 - Min. rough in depth 3-1/8"

30 805 875 Product version from 10/1/2024



Flow rate chart



Codes & Standards

| | | | |
|-----------------------------|------------------------------------|-------|------------------------|
| ASME A112.18.1 | California Energy Commission (CEC) | cUPC | DIN 4109 |
| ISO 3822 | NSF372 | NSF61 | Scottish Water Byelaws |
| UK Water Supply Regulations | Ü-Zeichen | | |



TARA ULTRA POT FILLER Cold water valve - Brushed Platinum

TARA ULTRA

30 805 875 Product version from 10/1/2024

Certificates and sustainability

| | | | | |
|--------|-----------|---------|-------------|--------------|
| LGA_29 | IAPMO_N-4 | IAPMO_6 | WRAS_240702 | IAPMO_4976 (|
|--------|-----------|---------|-------------|--------------|



Spare parts list

| Number | Item Number | Designation | Number of units | Lead time |
|--------|--------------------|-------------|-----------------|-----------|
| 11 | 09 28 10 139 90 | ring | 1.00 | 2 |
| 10 | 09 14 10 015 90 | seal | 2.00 | 2 |
| 8 | 90 16 04 001 00 90 | spring | 1.00 | 2 |
| 3 | 90 23 01 026 11-06 | aerator | 1.00 | 10 |
| 7 | 90 27 87 039 00-06 | rosette | 1.00 | 10 |
| 6 | 90 30 01 213 00 90 | connection | 1.00 | 2 |
| 4 | 09 20 62 027-06 | handle | 1.00 | 10 |
| 9 | 09 28 10 136 90 | ring | 1.00 | 2 |
| 1 | 09 20 62 025-06 | handle | 1.00 | 10 |
| 12 | 09 21 02 028-06 | lid | 1.00 | 10 |
| 2 | 90 90 03 146 00 90 | top | 1.00 | 2 |
| 5 | 90 90 03 171 00 90 | top | 1.00 | 2 |