



META Single-lever tub mixer for wall-mounted installation without hand shower set - Dark Chrome

33 200 660



- 8" Projection
- Round aerator
- Integrated diverter
- 3/8" Shower outlet
- Flanges Ø 2-3/8"
- 1/2" connection
- Center to center 5-7/8" ± 5/8"
- Water flow rate limited to max. 3.7 gpm

(ADA)


Internal backflow preventer.

NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90)


	Dark Chrome	33 200 660-19
	Chrome	33 200 660-00
	Brushed Platinum	33 200 660-06
	Light gold	33 200 660-26
	Brushed Light Gold	33 200 660-27
	Matte Black	33 200 660-33
	Brushed Bronze	33 200 660-42
	Brushed Champagne (22kt Gold)	33 200 660-46
	Champagne (22kt Gold)	33 200 660-47
	Brushed Chrome	33 200 660-93
	Brushed Dark Platinum	33 200 660-99

META Single-lever tub mixer for wall-mounted installation without hand shower set - Dark Chrome

33 200 660
mm [inches]



Flow rate chart



Codes & Standards

California Energy
Commission
(CEC)

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



**META Single-lever tub mixer for wall-mounted installation without hand shower
set - Dark Chrome**

33 200 660
Certificates

LGA_29 WRAS_2207

META Single-lever tub mixer for wall-mounted installation without hand shower set - Dark Chrome

33 200 660

Parts for other
finishes can be found
here: [Chrome](#)

