


LISSE

Single-lever tub mixer for wall-mounted installation without hand shower set - Brushed Light Gold

LISSE

33 200 845

Product version from 4/1/2024










- 7-1/2"-7-7/8" Projection
- Round aerator
- Integrated diverter
- 3/8" Shower outlet
- Flanges Ø 2-3/8"
- 1/2" connection
- Center to center 5-7/8" ± 5/8"
- Water flow rate limited to max. 3.6 gpm

Internal backflow preventer.


NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90)

Internal backflow preventer.

NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90)

	Brushed Light Gold	33 200 845-27
	Chrome	33 200 845-00
	Brushed Platinum	33 200 845-06
	Dark Chrome	33 200 845-19
	Matte Black	33 200 845-33
	Brushed Chrome	33 200 845-93
	Brushed Dark Platinum	33 200 845-99

Required article



Rough-in adapter -


- Please order 2 adapters

35 080 970-90 0010

LISSÉ Single-lever tub mixer for wall-mounted installation without hand shower set - Brushed Light Gold

LISSÉ

33 200 845 Product version from 4/1/2024
mm [inches]



Flow rate chart



Codes & Standards

California Energy Commission (CEC)	DIN 4109	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



LISSE Single-lever tub mixer for wall-mounted installation without hand shower set - Brushed Light Gold

LISSE

33 200 845 Product version from 4/1/2024

Certificates and sustainability

LGA_9

WRAS_2311

LISSÉ Single-lever tub mixer for wall-mounted installation without hand shower set - Brushed Light Gold

LISSÉ

33 200 845 Product version from 4/1/2024

