

## TARA ULTRA Single-lever mixer - Chrome

TARA ULTRA

33 800 875 Product version from 5/31/2010 to 7/25/2018



- 7-7/8" Projection
- Swiveling spout 360°
- Aerated stream
- Total height 14-5/8"
- Height to aerator/spout outlet 9-1/2"
- 1-3/8" hole diameter
- 2 x pressure hose with 3/8" compression fitting
- Water flow rate limited to max. 1.5 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

(ADA)

Combination with side spray set or profi side spray set not possible.

|   |                                |                    |
|---|--------------------------------|--------------------|
|    | Chrome                         | 33 800 875-00 0010 |
|    | Brushed Platinum               | 33 800 875-06 0010 |
|    | Platinum                       | 33 800 875-08 0010 |
|    | Durabronze (23kt Gold)         | 33 800 875-09 0010 |
|    | Dark Chrome                    | 33 800 875-19 0010 |
|    | Brushed Durabronze (23kt Gold) | 33 800 875-28 0010 |
|    | Matte Black                    | 33 800 875-33 0010 |
|    | Brushed Bronze                 | 33 800 875-42 0010 |
|    | Brushed Champagne (22kt Gold)  | 33 800 875-46 0010 |
|   | Champagne (22kt Gold)          | 33 800 875-47 0010 |
|  | Brushed Chrome                 | 33 800 875-93 0010 |
|  | Brushed Dark Platinum          | 33 800 875-99 0010 |

### Recommended article

**Soap dispenser without flange - Chrome** 82 424 970-00



### Recommended article

**AIR SWITCH operating button, trim parts only - Chrome** 10 713 970-00






TARA ULTRA Single-lever mixer - Chrome

TARA ULTRA

33 800 875    Product version from 5/31/2010 to 7/25/2018



Codes & Standards

|        |                |                                    |      |
|--------|----------------|------------------------------------|------|
| ADA    | ASME A112.18.1 | California Energy Commission (CEC) | cUPC |
| NSF372 | NSF61          |                                    |      |

Certificates and sustainability

|              |            |              |
|--------------|------------|--------------|
| IAPMO_N-4976 | IAPMO_6397 | IAPMO_4976 ( |
|--------------|------------|--------------|

