












TARA ULTRA PIVOT Single-lever mixer - Dark Chrome

TARA ULTRA


33 845 875



- 21-3/4" Projection
 - Swiveling spout 360°
 - Aerated stream
 - Total height 14-5/8"
 - Height to aerator/spout outlet 11-3/8"
 - Flange 2-1/8"
 - 1-1/8" hole diameter
 - 2 x pressure hose with 3/8" compression fitting
 - Water flow rate limited to max. 1.5 gpm
 - lead-free
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- (ADA)
- Combination with side spray set or profi side spray set not possible.

	Dark Chrome	33 845 875-19 0010
	Chrome	33 845 875-00 0010
	Brushed Platinum	33 845 875-06 0010
	Platinum	33 845 875-08 0010
	Durabrass (23kt Gold)	33 845 875-09 0010
	Brushed Durabrass (23kt Gold)	33 845 875-28 0010
	Brushed Bronze	33 845 875-42 0010
	Brushed Champagne (22kt Gold)	33 845 875-46 0010
	Champagne (22kt Gold)	33 845 875-47 0010
	Brushed Chrome	33 845 875-93 0010
	Brushed Dark Platinum	33 845 875-99 0010

Recommended article



Soap dispenser with flange - Dark Chrome

82 444 970-19

Recommended article



AIR SWITCH operating button, trim parts only - Dark Chrome


10 713 970-19




TARA ULTRA PIVOT Single-lever mixer - Dark Chrome

TARA ULTRA

33 845 875



Flow rate chart



Codes & Standards

ADA

California Energy
Commission
(CEC)

NSF372

NSF61



TARA ULTRA PIVOT Single-lever mixer - Dark Chrome

TARA ULTRA

33 845 875

Certificates and sustainability

IAPMO_N-4976 IAPMO_6397

33 845 875

Parts for other
finishes can be found
here: [Chrome](#)

