

SYNC Profi single-lever mixer - Matte Black

33 865 895



- 7-7/8" Projection
- Flexible silicone hose with large operating range of up to 13-3/4"
- Swiveling 360°
- Optional restricted swivel available with swivel limiter set 12 821 970 90
- Aerated stream and spray mode
- Total height 17-3/4"
- Height to aerator/spout outlet 4-5/8"
- 1-3/8" hole diameter
- 2 x pressure hose with 3/8" compression fitting
- Sprayface with descaling system
- Water flow rate limited to max. 1.5 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

(ADA)

Internal backflow preventer.

Switch back and forth between aerator and spray mode while water is running.

	Matte Black	33 865 895-33 0010
	Chrome	33 865 895-00 0010
	Brushed Platinum	33 865 895-06 0010
	Platinum	33 865 895-08 0010
	Durabrand (23kt Gold)	33 865 895-09 0010
	Dark Chrome	33 865 895-19 0010
	Brushed Durabrand (23kt Gold)	33 865 895-28 0010
	Brushed Bronze	33 865 895-42 0010
	Brushed Champagne (22kt Gold)	33 865 895-46 0010
	Champagne (22kt Gold)	33 865 895-47 0010
	Brushed Chrome	33 865 895-93 0010
	Brushed Dark Platinum	33 865 895-99 0010

Recommended article

Swivel limiter set -

12 821 970 90



Recommended article

**Soap dispenser without flange -
Matte Black**

82 424 970-33



Recommended article

**AIR SWITCH operating button,
trim parts only - Matte Black**


10 713 970-33






SYNC Profi single-lever mixer - Matte Black

33 865 895



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)	NSF/ANSI 372
NSF/ANSI/CAN 61	NSF372	NSF61	



SYNC Profi single-lever mixer - Matte Black

33 865 895

Certificates

IAPMO_N-4976

IAPMO_6397

SYNC Profi single-lever mixer - Matte Black

33 865 895

