



SYNC Single-lever mixer pull-down with spray function - Brushed Champagne (22kt Gold)

SYNC

33 870 895 Product version from 11/1/2024



- 9-1/2" Projection
- Swiveling spout 360°
- Optional restricted swivel available with swivel limiter set 12 821 970 90
- Laminar and spray function
- Total height 17-1/2"
- 9-1/2" height to aerator/spout outlet
- 1-3/8" hole diameter
- 2 x pressure hose with 3/8" compression fitting
- 59" metal shower hose
- Sprayface with descaling system
- Water flow rate limited to max. 1.5 gpm
- lead-free
- Spray types can be changed while the water is running
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

(ADA)

Internal backflow preventer.

Push button locks into spray mode when pressed. To switch back to laminar flow the water must be turned off.

	Brushed Champagne (22kt Gold)	33 870 895-46 0010
	Chrome	33 870 895-00 0010
	Brushed Platinum	33 870 895-06 0010
	Platinum	33 870 895-08 0010
	Durabrand (23kt Gold)	33 870 895-09 0010
	Dark Chrome	33 870 895-19 0010
	Brushed Durabrand (23kt Gold)	33 870 895-28 0010
	Matte Black	33 870 895-33 0010
	Brushed Bronze	33 870 895-42 0010
	Champagne (22kt Gold)	33 870 895-47 0010
	Brushed Chrome	33 870 895-93 0010
	Brushed Dark Platinum	33 870 895-99 0010

Recommended article

	Swivel limiter set -	12 821 970 90
--	----------------------	---------------

Recommended article

	AIR SWITCH operating button, trim parts only - Brushed Champagne (22kt Gold)	10 713 970-46
--	--	---------------


Recommended article

	Soap dispenser without flange - Brushed Champagne (22kt Gold)	82 424 970-46
--	---	---------------



SYNC Single-lever mixer pull-down with spray function - Brushed Champagne (22kt Gold)

SYNC



Codes & Standards

ADA	ASME A112.18.1	California Energy Commission (CEC)	cUPC
NSF372	NSF61		

Certificates and sustainability

IAPMO_N-4976 IAPMO_6397 IAPMO_4976 (

SYNC Single-lever mixer pull-down with spray function - Brushed Champagne (22kt Gold)

SYNC

33 870 895 Product version from 11/1/2024

