






DORNBRACHT PIUR Single-lever mixer with pull-out spout - Brushed Nickel

DORNBRACHT
PIUR

33 950 210



- 8" Projection
 - Swiveling spout 360°
 - Aerated stream
 - Water flow rate limited to max. 1.3 gpm
 - lead-free
 - Fabric braided spray hose 59"
- Internal backflow preventer.


	Brushed Nickel	33 950 210-70 0010
	Chrome	33 950 210-00 0010
	Soft Black	33 950 210-69 0010



DORNBRACHT PIUR Single-lever mixer with pull-out spout - Brushed Nickel

DORNBRACHT
PIUR

33 950 210



Codes & Standards


ASME A112.18.1	California Energy Commission (CEC)	cUPC	NSF372
NSF61			

Certificates and sustainability

IAPMO_N-4976	IAPMO_6397	IAPMO_4976 (
--------------	------------	--------------

33 950 210

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
2	90 14 05 081 00 90	seal	1.00	2
6	90 15 05 060 00 90	cartridge	1.00	2
4	90 30 02 101 00 90	hose	1.00	2
9	90 27 21 001 00-70	rosette	1.00	2
12	04 30 04 103 00 90	hose	2.00	2
13	90 30 04 110 00 90	hose	1.00	2
7	90 28 30 011 00-70	cover	1.00	2
11	90 23 10 003 00 90	fixing set	1.00	2
5	90 14 15 060 00 90	gasket kit	1.00	2
8	90 20 21 001 00-70	handle	1.00	2
10	90 30 01 200 00 90	shaft	1.00	2
1	90 12 11 180 01-70	shower	1.00	2
3	90 23 01 051 01 90	flow reducer	1.00	2