






DORNBRAUCH LYV Single-lever mixer with pull-out spout with spray function - Chrome

33 960 110





- 9" Projection
 - Swiveling spout 120°
 - Aerated stream and spray mode
 - Fabric braided spray hose 59"
 - Water flow rate limited to max. 1.4 gpm
 - lead-free
- Internal backflow preventer.

| | | |
|---|----------------|--------------------|
|  | Chrome | 33 960 110-00 0010 |
|  | Soft Black | 33 960 110-69 0010 |
|  | Brushed Nickel | 33 960 110-70 0010 |




DORNBRACHT LYV Single-lever mixer with pull-out spout with spray function - Chrome

33 960 110



Flow rate chart



Codes & Standards

California Energy
Commission
(CEC)

NSF372

NSF61




DORNBRAUCH LYV Single-lever mixer with pull-out spout with spray function -
Chrome

33 960 110
Certificates

IAPMO_N-4976 IAPMO_6397

**DORNBRAUCH LYV Single-lever mixer with pull-out spout with spray function -
Chrome**

33 960 110
Parts for other
finishes can be found
here: [Soft Black](#)



Spare parts list

| Number | Item Number | Designation | Number of units | Lead time |
|--------|--------------------|-----------------------------|-----------------|-----------|
| 1 | 90 20 81 001 00-00 | handle | 1 | 2 |
| 2 | 90 28 30 010 00-00 | cover | 1 | 2 |
| 3 | 90 15 05 067 00 90 | cartridge | 1 | 2 |
| 4 | 90 18 40 227 00 90 | insert | 1 | 2 |
| 5 | 90 30 02 101 00 90 | hose | 1 | 2 |
| 6 | 90 23 01 051 01 90 | flow reducer | 1 | 2 |
| 7 | 90 14 05 081 00 90 | seal | 1 | 2 |
| 8 | 90 12 11 181 01-00 | shower | 1 | 2 |
| 9 | 90 14 15 062 00 90 | gasket kit | 1 | 2 |
| 10 | 90 30 01 211 01 90 | shaft | 1 | 2 |
| 11 | 90 14 05 080 00 90 | seal | 1 | 2 |
| 12 | 90 23 10 003 00 90 | fixing set | 1 | 2 |
| 13 | 04 30 04 102 00 90 | Flexible supply line 3/8" - | 2 | 2 |
| 14 | 90 30 04 110 00 90 | hose | 1 | 2 |