



DORNBRAUCHT PIUR Single-lever mixer with pull-out spout with spray function  
- Soft Black




DORNBRAUCHT

33 960 210



- 7-3/4" Projection
- Swiveling spout 360°
- Aerated stream and spray mode
- Water flow rate limited to max. 1.4 gpm
- lead-free
- Fabric braided spray hose 59"

Internal backflow preventer.


	Soft Black	33 960 210-69 0010
	Chrome	33 960 210-00 0010
	Brushed Nickel	33 960 210-70 0010



DORNBRACHT PIUR Single-lever mixer with pull-out spout with spray function  
- Soft Black

DORNBRACHT  
PIUR

33 960 210



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	NSF372
NSF61			

Certificates and sustainability


IAPMO_N-4976	IAPMO_6397	IAPMO_4976 (	
--------------	------------	--------------	--

## DORNBRAUCHT PIUR Single-lever mixer with pull-out spout with spray function - Soft Black

DORNBRAUCHT  
PIUR

33 960 210

Parts for other  
finishes can be found  
here: [Chrome](#)



### Spare parts list

Number	Item Number	Designation	Number of units	Lead time
7	90 28 30 011 00-69	cover	1.00	2
10	90 30 01 200 00 90	shaft	1.00	2
8	90 20 21 001 00-69	handle	1.00	2
5	90 14 15 060 00 90	gasket kit	1.00	2
12	04 30 04 103 00 90	hose	2.00	2
1	90 12 11 181 01-69	shower	1.00	2
11	90 23 10 003 00 90	fixing set	1.00	2
3	90 23 01 051 01 90	flow reducer	1.00	2
13	90 30 04 110 00 90	hose	1.00	2
9	90 27 21 001 00-69	rosette	1.00	2
2	90 14 05 081 00 90	seal	1.00	2
4	90 30 02 101 00 90	hose	1.00	2
6	90 15 05 060 00 90	cartridge	1.00	2