

## META Tub thermostat for wall-mounted installation without hand shower set - Dark Chrome

34 201 979



- 8-1/4" Projection
  - Round aerator
  - Diverter with integrated volume control
  - 3/8" Shower outlet
  - Flanges Ø 2-3/8"
  - 1/2" connection
  - Center to center 5-7/8" ± 5/8"
  - Water flow rate limited to max. 4.5 gpm
- Internal backflow preventer.**

Internal backflow preventer.

	Dark Chrome	34 201 979-19
	Chrome	34 201 979-00
	Brushed Platinum	34 201 979-06
	Light gold	34 201 979-26
	Brushed Light Gold	34 201 979-27
	Matte Black	34 201 979-33
	Brushed Bronze	34 201 979-42
	Brushed Champagne (22kt Gold)	34 201 979-46
	Champagne (22kt Gold)	34 201 979-47
	Brushed Chrome	34 201 979-93
	Brushed Dark Platinum	34 201 979-99

### Required article

#### Rough-in adapter -

- Please order 2 adapters

35 080 970-90  
0010




META Tub thermostat for wall-mounted installation without hand shower set -


Dark Chrome

34 201 979

mm [inches]



Flow rate chart



Codes & Standards

California Energy Commission (CEC)	DIN 4109	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		



META Tub thermostat for wall-mounted installation without hand shower set -  
Dark Chrome

---

34 201 979  
Certificates

---

LGA\_18                      WRAS\_2201

## META Tub thermostat for wall-mounted installation without hand shower set - Dark Chrome

34 201 979

