



Shower thermostat for wall-mounted installation - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

34 442 979    Product version from 10/1/2023




- 3/8" Shower outlet
  - Flanges Ø 2-3/4"
  - 1/2" connection
  - Center to center 5-7/8" ± 1/2"
  - with volume control
- Internal backflow preventer.  
For combination with slide bar set

	Brushed Champagne (22kt Gold)	34 442 979-46
	Chrome	34 442 979-00
	Brushed Platinum	34 442 979-06
	Platinum	34 442 979-08
	Dark Chrome	34 442 979-19
	Light gold	34 442 979-26
	Brushed Light Gold	34 442 979-27
	Brushed Durabrass (23kt Gold)	34 442 979-28
	Matte Black	34 442 979-33
	Brushed Bronze	34 442 979-42
	Champagne (22kt Gold)	34 442 979-47
	Brushed Chrome	34 442 979-93
	Brushed Dark Platinum	34 442 979-99


# Shower thermostat for wall-mounted installation - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

34 442 979 Product version from 10/1/2023  
mm [inches]



## Flow rate chart



## Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen




Shower thermostat for wall-mounted installation - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

34 442 979    Product version from 10/1/2023

Certificates and sustainability

DVGW_DW- 6509DN0	LGA_29	WRAS_2204
---------------------	--------	-----------



This exploded view diagram illustrates the assembly of the 1000 Series 1/2" component. The main body (1) is shown with various ports and connections. The diagram includes the following numbered parts:

- 1: Main body (shown at both ends)
- 2: Top cover plate
- 3: O-ring
- 4: Small cylindrical component
- 5: Small cylindrical component
- 6: Large cylindrical component
- 7: O-ring
- 8: Small cylindrical component
- 9: O-ring
- 10: Small cylindrical component
- 11: Small cylindrical component
- 12: O-ring
- 13: Small cylindrical component
- 14: Small cylindrical component

Number	Item Number	Designation	Number of units	Lead time
9	09 24 77 008-00	nut	2.00	10
7	09 29 30 050 90	sieve	2.00	2
3	90 30 40 010 00 90	regulator	1.00	2
11	90 30 40 017 00 90	base	1.00	2
4	04 31 20 530 00 90	insert	1.00	2
13	09 31 20 511-46	nipple	1.00	60
6	90 31 20 512 00-46	rosette	2.00	30
5	04 11 04 030 00 90	connection	2.00	2
1	90 17 33 015 00-46	handle	2.00	30
8	04 31 20 540 00 90	insert	1.00	2
2	90 15 02 070 00 90	cartridge	1.00	2
10	90 90 03 236 00 90	top	1.00	2
12	90 14 10 010 00 90	seal	1.00	2
14	90 21 02 069 00-46	cover	1.00	30