

Shower thermostat For wall mounting - Brushed Dark Brass

SERIES-VARIOUS

34 443 979




- 3/8" Shower outlet
- Flanges Ø 2-3/4"
- 1/2" connection
- Center to center 5-7/8" ± 1/2"
- with volume control

Internal backflow preventer.

Can be combined with hand shower sets and slide bar sets.

Internal backflow preventer.

Can be combined with hand shower sets and slide bar sets.

	Brushed Dark Brass	34 443 979-39
	Chrome	34 443 979-00
	Brushed Platinum	34 443 979-06
	Platinum	34 443 979-08
	Dark Chrome	34 443 979-19
	Brushed Durabronze (23kt Gold)	34 443 979-28
	Matte Black	34 443 979-33
	Brushed Champagne (22kt Gold)	34 443 979-46
	Champagne (22kt Gold)	34 443 979-47
	Brushed Chrome	34 443 979-93
	Brushed Dark Platinum	34 443 979-99

Required article



Rough-in adapter -

- Please order 2 adapters

35 080 970-90
0010

Required article




**TARA Volume control handle -
Brushed Durabronze (23kt Gold)**


11 431 892-28

34 443 979

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



Shower thermostat For wall mounting - Brushed Dark Brass

SERIES-VARIOUS

34 443 979

Certificates and sustainability

Belgaqua_22_281_2 LGA_29

34 443 979

