

## Exposed shower set with shower thermostat without hand shower - Dark Chrome

34 459 979



- Projection 17-7/8"
  - Rainshower
  - Rain shower with descaling system
  - Rain shower diameter 8-5/8"
  - Rain shower water flow rate limited to max. 1.8 gpm (at 3 bar)
  - Diverter with integrated volume control
  - Height from center of faucet to top of shower arm 45-1/4"
  - Flanges Ø 2-3/4"
  - Height from center of faucet to bottom of rainhead 39-3/4"
  - Center to center 5-7/8" ± 1/2"
  - Metal shower hose 68-7/8" with anti-twist device
  - 1/2" connection
  - Slide bar
  - Pipe diameter 7/8"
  - with drip prevention
  - This product reduces water consumption by 28% (compared to requirements of EPAct '92)
  - This product contributes to meeting the requirements of the LEED® Green Building Rating
- Internal backflow preventer.**

**NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.**

Internal backflow preventer.

NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

	Dark Chrome	34 459 979-19 0010
	Chrome	34 459 979-00 0010
	Brushed Platinum	34 459 979-06 0010
	Platinum	34 459 979-08 0010
	Light gold	34 459 979-26 0010
	Brushed Light Gold	34 459 979-27 0010
	Brushed Durabronze (23kt Gold)	34 459 979-28 0010
	Matte Black	34 459 979-33 0010
	Brushed Bronze	34 459 979-42 0010
	Brushed Champagne (22kt Gold)	34 459 979-46 0010
	Champagne (22kt Gold)	34 459 979-47 0010
	Brushed Chrome	34 459 979-93 0010
	Brushed Dark Platinum	34 459 979-99 0010


### Required article

#### Rough-in adapter -

- Please order 2 adapters

35 080 970-90  
0010





1:10



California Energy  
Commission  
(CEC)

Exposed shower set with shower thermostat without hand shower - Dark  
Chrome

34 459 979

