




EDITION PRO Exposed shower set with shower thermostat with hand shower set - Brushed Chrome

EDITION PRO

34 461 626




- Projection 21-1/4"
- Rainshower
- Rain shower diameter 11-3/4"
- Rain shower with descaling system
- Rain shower water flow rate limited to max. 3.7 gpm (at 3 bar)
- Hand shower: 3 individual sprays (standard, soft, massage) + 2 combinations (standard+soft, soft+massage)
- Ø 3-7/8"
- Hand shower water flow rate limited to max. 4 gpm (at 3 bar)
- Diverter with integrated volume control
- Flanges Ø 2-3/4"
- Height from center of faucet to bottom of rainhead 39-3/4"
- Height from center of faucet to top of shower arm 45-1/4"
- Center to center 5-7/8" ± 1/2"
- Metal shower hose 68-7/8" with anti-twist device
- 1/2" connection
- Slide bar
- Pipe diameter 7/8"

| | | |
|-----------------------------------------------------------------------------------|----------------|---------------|
|  | Brushed Chrome | 34 461 626-93 |
|  | Chrome | 34 461 626-00 |
|  | Matte Black | 34 461 626-33 |

34 461 626

mm [inches]

1:10



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



EDITION PRO Exposed shower set with shower thermostat with hand shower set - Brushed Chrome

EDITION PRO

34 461 626

Certificates and sustainability

LGA_29

EDITION PRO Exposed shower set with shower thermostat with hand shower set - Brushed Chrome

EDITION PRO

34 461 626

Parts for other
finishes can be found
here: [Chrome](#)

