




xTOOL Concealed thermostat rough with two volume controls -

35 527 970

Product version from 1/1/2022



- brass, lead free
- 2x back flow preventer
- 2x connections 3/4" (hot/cold)
- female thread 1/2" connection
- Thermostat cartridge
- 2x Ceramic disc cartridge
- 3x Water protection
- 3x Mud guard
- Sound insulation
- Center to center 4-3/4"

Recommended article		Recommended article	
	Extension 1-1/8" -		
		12 177 970 90	
			
		Extension 1-3/4" -	12 178 970 90



xTOOL Concealed thermostat rough with two volume controls -


35 527 970 Product version from 1/1/2022

Certificates

IAPMO_4976 (

xTOOL Concealed thermostat rough with two volume controls -

35 527 970 Product version from 1/1/2022



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	09 11 11 014 90	accessories	1	2
2	04 31 20 062 10 90	plug	3	2
3	04 14 05 045 00 90	set	1	2
4	04 31 20 006 00 90	plug	2	2
5	09 21 02 102 90	cap	2	2
6	90 90 03 143 00 90	top	2	2
7	04 21 34 077 00 90	nipple	2	2
8	09 14 10 098 90	seal	2	2
9	90 23 01 045 00 90	back-flow preventer	2	2
10	09 14 10 189 90	seal	1	2
11	09 14 05 002 90	seal	2	2
12	90 29 05 031 00 90	insert	2	2
13	90 12 12 218 00 90	base	1	2
14	04 31 20 100 00 90	plug	1	2
15	09 14 10 111 90	seal	1	2
16	90 30 30 027 00 90	screw	1	2
17	09 21 02 103 90	cap	1	2
18	04 14 03 073 06 90	gasket kit	1	2
19	90 15 02 065 00 90	cartridge	1	2