


35 621 970




- brass, lead free
- female thread 1/2" connection
- Ceramic disc cartridge
- Mud guard
- Water protection



Rough for volume control clockwise-closing 1/2" -


SERIES-VARIOUS

35 621 970



	min	max
Square	50	105
Square Exclusive	50	105
Cult	50	110
Madison	50	110
Source	50	110
Soul	50	115
LULU	50	125
Modern		
Tara, Logic	50	125
Meta.02	50	125
L'Aura	50	125
Circle	50	130
Madison Flair	50	130
Just	50	130
Vaia	53	124
Domicil	55	105
LaFleur	65	130
Supernova	65	130
Symetrics	65	130
Deque	65	130
Tara.	65	130
MEM	85	130
CL.1	85	130

Flow rate chart



Codes & Standards

ASME A112.18.1

cUPC

NSF372



Rough for volume control clockwise-closing 1/2" -


SERIES-VARIOUS

35 621 970

Certificates and sustainability

IAPMO_6397 IAPMO_4976 (

35 621 970



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
3	09 21 02 102 90	cap	1.00	2
1	04 31 20 006 00 90	plug	1.00	2
2	90 90 03 143 00 90	top	1.00	2
4	04 14 03 072 01 90	gasket kit	1.00	2