

xTOOL Concealed thermostat without diverter - Chrome

SERIES-VARIOUS

36 416 979 Product version up to 2/2/2021



- Cover plate Ø 4-7/8"
- Temperature control handle with safety lock at 100 °F/ 38°C

| | | |
|---|-------------------------------|---------------|
|  | Chrome | 36 416 979-00 |
|  | Brushed Platinum | 36 416 979-06 |
|  | Platinum | 36 416 979-08 |
|  | Durabrand (23kt Gold) | 36 416 979-09 |
|  | Dark Chrome | 36 416 979-19 |
|  | Light gold | 36 416 979-26 |
|  | Brushed Light Gold | 36 416 979-27 |
|  | Brushed Durabrand (23kt Gold) | 36 416 979-28 |
|  | Matte Black | 36 416 979-33 |
|  | Brushed Bronze | 36 416 979-42 |
|  | Brushed Champagne (22kt Gold) | 36 416 979-46 |
|  | Champagne (22kt Gold) | 36 416 979-47 |
|  | Cyprus | 36 416 979-49 |
|  | Brushed Chrome | 36 416 979-93 |
|  | Brushed Dark Platinum | 36 416 979-99 |


Required article




xTOOL Concealed thermostat rough -

- Min. rough in depth 3-1/8"
- Max. rough in depth 6-1/8"

35 517 970-90
0010



Flow rate chart



Codes & Standards

ASME A112.18.1 cUPC




xTOOL Concealed thermostat without diverter - Chrome

SERIES-VARIOUS

36 416 979 Product version up to 2/2/2021

Certificates and sustainability

IAPMO_4976 (



Spare parts list

| Number | Item Number | Designation | Number of units | Lead time |
|--------|--------------------|--------------------|-----------------|-----------|
| 4 | 09 31 11 048 90 | pin | 1.00 | 2 |
| 2 | 90 11 01 196 00 90 | base | 1.00 | 2 |
| 7 | 90 17 33 017 00-00 | handle | 1.00 | 10 |
| 3 | 09 11 02 537-00 | cover | 1.00 | 10 |
| 1 | 12 178 970 90 | Extension 1-3/4" - | 1.00 | 2 |
| 6 | 90 21 02 112 00-00 | sleeve | 1.00 | 10 |
| 5 | 90 14 10 049 00 90 | seal | 1.00 | 2 |