

Concealed thermostat with one-way diverter - Dark Chrome

36 425 670



- Cover plate 5-7/8" x 3-1/2"
- Temperature control handle with safety lock at 100 °F/ 38°C
- Max. temperature can be set on the trim

(ADA)


	Dark Chrome	36 425 670-19 0010
	Chrome	36 425 670-00 0010
	Brushed Platinum	36 425 670-06 0010
	Platinum	36 425 670-08 0010
	Brushed Light Gold	36 425 670-27 0010
	Brushed Durabronze (23kt Gold)	36 425 670-28 0010
	Matte Black	36 425 670-33 0010
	Brushed Champagne (22kt Gold)	36 425 670-46 0010
	Champagne (22kt Gold)	36 425 670-47 0010
	Brushed Chrome	36 425 670-93 0010
	Brushed Dark Platinum	36 425 670-99 0010




Concealed thermostat with one-way diverter - Dark Chrome

36 425 670

mm [inches]



Flow rate chart



Codes & Standards

ADA

ASME A112.18.1

ASME
A112.18.1/CSA
B125.1

cUPC



Concealed thermostat with one-way diverter - Dark Chrome

36 425 670

Certificates

IAPMO_4976 (

Concealed thermostat with one-way diverter - Dark Chrome

36 425 670

Parts for other
finishes can be found
here: [Chrome](#)

