



Concealed thermostat with two-way diverter - Brushed Light Gold

SERIES SPECIFIC


36 426 670 Product version from 6/30/2022




- Diverter with integrated volume control
  - Cover plate 5-7/8" x 3-1/2"
  - Temperature control handle with safety lock at 100 °F/ 38°C
  - Max. temperature can be set on the trim
  - single flow function only
- (ADA)**
- (ADA)

	Brushed Light Gold	36 426 670-27 0010
	Chrome	36 426 670-00 0010
	Brushed Platinum	36 426 670-06 0010
	Platinum	36 426 670-08 0010
	Dark Chrome	36 426 670-19 0010
	Brushed Durabronze (23kt Gold)	36 426 670-28 0010
	Matte Black	36 426 670-33 0010
	Brushed Champagne (22kt Gold)	36 426 670-46 0010
	Champagne (22kt Gold)	36 426 670-47 0010
	Brushed Chrome	36 426 670-93 0010
	Brushed Dark Platinum	36 426 670-99 0010


Required article

	<b>Concealed thermostat for one- and two-way outlets -</b> <ul style="list-style-type: none"><li>•Min. rough in depth 3-1/8"</li><li>•Max. rough in depth 5-3/8"</li></ul>	35 426 970-90 0010
---	--	--------------------

Required article

	<b>xGRID Installation track 21.85" -</b>	12 360 970 90
---	--	---------------

Recommended article

	<b>xGRID Mounting bracket for drywall construction -</b>	12 340 970 90
---	--	---------------




Concealed thermostat with two-way diverter - Brushed Light Gold

SERIES SPECIFIC

36 426 670 Product version from 6/30/2022

mm [inches]



Codes & Standards

ADA	California Energy Commission (CEC)
-----	------------------------------------

