


LISSÉ Concealed thermostat with two-way diverter - Brushed Dark Platinum

LISSÉ


36 426 845 Product version from 6/30/2022




- Diverter with integrated volume control
- Cover plate 5-7/8" x 3-1/2"
- Temperature control handle with safety lock at 100 °F/ 38°C
- Max. temperature can be set on the trim
- single flow function only

	Brushed Dark Platinum	36 426 845-99 0010
	Chrome	36 426 845-00 0010
	Brushed Platinum	36 426 845-06 0010
	Dark Chrome	36 426 845-19 0010
	Brushed Light Gold	36 426 845-27 0010
	Matte Black	36 426 845-33 0010
	Brushed Chrome	36 426 845-93 0010


Required article

	Concealed thermostat for one- and two-way outlets - •Min. rough in depth 3-1/8" •Max. rough in depth 5-3/8"	35 426 970-90 0010
---	--	--------------------

Required article

	xGRID Installation track 21.85" -	12 360 970 90
---	--	---------------

Recommended article

	xGRID Mounting bracket for drywall construction -	12 340 970 90
---	--	---------------




LISSE Concealed thermostat with two-way diverter - Brushed Dark Platinum

LISSE

36 426 845 Product version from 6/30/2022

mm [inches]



Codes & Standards

ADA	California Energy Commission (CEC)
-----	------------------------------------

