


**WATER BAR Body spray FlowReduce - Light gold**

36 517 979



- HORIZONTAL RAIN, flow rate max. 1.6 gpm (at 3 bar)
- Descaling system
- Cover plate 9-1/2" x 2-3/8"
- 1/2" connection
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Light gold	36 517 979-26
	Chrome	36 517 979-00
	Brushed Platinum	36 517 979-06
	Platinum	36 517 979-08
	Dark Chrome	36 517 979-19
	Brushed Light Gold	36 517 979-27
	Brushed Durabrass (23kt Gold)	36 517 979-28
	Matte Black	36 517 979-33
	Brushed Bronze	36 517 979-42
	Brushed Champagne (22kt Gold)	36 517 979-46
	Champagne (22kt Gold)	36 517 979-47
	Brushed Chrome	36 517 979-93
	Brushed Dark Platinum	36 517 979-99

**Required article**



- Rough -**
- Min. rough in depth "
  - Max. rough in depth "

35 206 970-90  
0010

**Recommended article**



**xGRID Mounting bracket for  
drywall construction -**

12 340 970 90

**Required article**




**xGRID Installation track 21.85" -** 12 360 970 90


**WATER BAR Body spray FlowReduce - Light gold**

36 517 979


mm [inches]



**Flow rate chart**



**Trajectory length diagram**



**Codes & Standards**

ASME  
A112.18.1/CSA  
B125.1

California Energy  
Commission  
(CEC)

DIN 4109

ISO 3822

Ü-Zeichen



WATER BAR Body spray FlowReduce - Light gold

---

36 517 979

Certificates

---

LGA\_19

## WATER BAR Body spray FlowReduce - Light gold

---

36 517 979

