








CL.1 Volume Control clockwise-closing cold 1/2" - Brushed Champagne (22kt Gold)

CL.1

36 617 706	Product version from 10/14/2020		
	<ul style="list-style-type: none"> • WAVE structure • Flange 2-3/8" x 2-3/8" • with marking for cold • Ceramic disc cartridge (ADA) 	<div>  <div>Brushed Champagne (22kt Gold)</div> </div>	36 617 706-46
		<div>  <div>Chrome</div> </div>	36 617 706-00
		<div>  <div>Brushed Platinum</div> </div>	36 617 706-06
		<div>  <div>Dark Chrome</div> </div>	36 617 706-19
		<div>  <div>Champagne (22kt Gold)</div> </div>	36 617 706-47
		<div>  <div>Brushed Dark Platinum</div> </div>	36 617 706-99

Required article

	Rough for volume control 1/2" -	35 607 970-90
	<ul style="list-style-type: none"> • Max. rough in depth 5-7/8" • Min. rough in depth 4-1/8" 	0010



CL.1 Volume Control clockwise-closing cold 1/2" - Brushed Champagne (22kt Gold)

CL.1

36 617 706 Product version from 10/14/2020
mm [inches]



Codes & Standards

ADA	ASME A112.18.1	cUPC	DIN 4109
ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen

Certificates and sustainability

LGA_29	WRAS_2010	IAPMO_4976 (
--------	-----------	--------------

CL.1 Volume Control clockwise-closing cold 1/2" - Brushed Champagne (22kt Gold)

CL.1

36 617 706 Product version from 10/14/2020

