





















CL.1 Volume Control clockwise-closing cold 1/2" - Brushed Champagne (22kt Gold)

CL.1

36 627 706	Product version from 10/14/2020																			
	<ul style="list-style-type: none">• CASCADE structure• Flange 2-3/8" x 2-3/8"• with marking for cold• Ceramic disc cartridge (ADA) <p>(ADA)</p>	<table><tr><td></td><td>Brushed Champagne (22kt Gold)</td><td>36 627 706-46</td></tr><tr><td></td><td>Chrome</td><td>36 627 706-00</td></tr><tr><td></td><td>Brushed Platinum</td><td>36 627 706-06</td></tr><tr><td></td><td>Dark Chrome</td><td>36 627 706-19</td></tr><tr><td></td><td>Champagne (22kt Gold)</td><td>36 627 706-47</td></tr><tr><td></td><td>Brushed Dark Platinum</td><td>36 627 706-99</td></tr></table>		Brushed Champagne (22kt Gold)	36 627 706-46		Chrome	36 627 706-00		Brushed Platinum	36 627 706-06		Dark Chrome	36 627 706-19		Champagne (22kt Gold)	36 627 706-47		Brushed Dark Platinum	36 627 706-99
	Brushed Champagne (22kt Gold)	36 627 706-46																		
	Chrome	36 627 706-00																		
	Brushed Platinum	36 627 706-06																		
	Dark Chrome	36 627 706-19																		
	Champagne (22kt Gold)	36 627 706-47																		
	Brushed Dark Platinum	36 627 706-99																		

Required article

	Rough for volume control 1/2" - <ul style="list-style-type: none">•Max. rough in depth 5-7/8"•Min. rough in depth 4-1/8"	35 607 970-90 0010
---	--	--------------------



CL.1 Volume Control clockwise-closing cold 1/2" - Brushed Champagne (22kt Gold)

CL.1

36 627 706 Product version from 10/14/2020
mm [inches]




Codes & Standards

ADA	ASME A112.18.1	cUPC	DIN 4109
ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen

Certificates and sustainability

LGA_29	WRAS_2010	IAPMO_4976 (
--------	-----------	--------------



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 20 70 053 02-46	handle (cold)	1.00	30
3	90 90 03 143 00 90	top	1.00	2
2	90 21 02 108 00 90	disc	1.00	2