



MEM Wall-mounted three-hole lavatory mixer without drain - Brushed Durabronss (23kt Gold)

MEM

36 717 782 Product version from 7/1/2016 to 10/27/2020



- 9-1/2" Projection
 - Rigid spout
 - Rectangular aerated stream
 - Valve hole diameter 1-5/8"
 - Spout hole diameter 1-5/8"
 - Individual flanges 2-3/8" x 2-3/8"
 - Water flow rate limited to max. 1.2 gpm
 - lead-free
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB (ADA)
- (ADA)

	Brushed Durabronss (23kt Gold)	36 717 782-28 0010
	Chrome	36 717 782-00 0010
	Brushed Platinum	36 717 782-06 0010
	Platinum	36 717 782-08 0010
	Dark Chrome	36 717 782-19 0010
	Brushed Champagne (22kt Gold)	36 717 782-46 0010
	Champagne (22kt Gold)	36 717 782-47 0010
	Brushed Dark Platinum	36 717 782-99 0010

Required article



- | | |
|--|--------------------|
| Rough for wall-mounted faucet , spout in center - | 35 700 970-90 0010 |
| •Max. rough in depth 5-7/8" | |
| •Min. rough in depth 4-3/8" | |

Required article




- | | |
|---|--------------------|
| Rough for wall-mounted faucet flexible positioning - | 35 720 970-90 0010 |
| •Max. rough in depth 5-7/8" | |
| •Min. rough in depth 4-3/8" | |



MEM Wall-mounted three-hole lavatory mixer without drain - Brushed Durabronss (23kt Gold)

MEM

36 717 782 Product version from 7/1/2016 to 10/27/2020
mm [inches]



Codes & Standards

ADA	California Energy Commission (CEC)	NSF372
-----	------------------------------------	--------


Certificates and sustainability

IAPMO_6397

MEM Wall-mounted three-hole lavatory mixer without drain - Brushed Durabronz (23kt Gold)

MEM

36 717 782 Product version from 7/1/2016 to 10/27/2020



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
9	90 90 03 157 00 90	top	1.00	2
5	90 20 78 002 07-28	handle (hot)	1.00	20
2	09 24 03 081 10 90	extension	1.00	2
6	04 28 22 148 10-28	spout	1.00	20
7	90 29 03 118 00 90	aerator	1.00	2
4	90 21 02 108 00 90	disc	2.00	2
1	90 90 03 156 00 90	top	1.00	2
3	90 27 78 035 00-28	rosette	1.00	20
8	90 20 78 002 06-28	handle (cold)	1.00	20
10	90 20 78 002 01-28	handle	1.00	20