







CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705



- 7-7/8" Projection
 - Rectangular aerator with 55 individual streams
 - Hand-held shower: COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
 - Hand shower set with anti-scale technology
 - Total height 4-7/8"
 - Height to aerator/spout outlet 4-1/4"
 - 1/2" connection
 - Spout hole diameter 1-3/8"
 - Valve hole diameter 1-1/4"
 - Hand shower set with flange 2-3/8" x 2-3/8"
 - Valve with flange 2-3/8" x 2-3/8"
 - Metal shower hose 88-5/8" with anti-twist device
- NOTE: Local building codes may require the use of an anti-scald device. Please refer to remote pressure balance valve (35 914 970 90) Internal backflow preventer.**

	Chrome	ST 030 100 2705-00
	Brushed Platinum	ST 030 100 2705-06
	Dark Chrome	ST 030 100 2705-19
	Brushed Champagne (22kt Gold)	ST 030 100 2705-46
	Champagne (22kt Gold)	ST 030 100 2705-47
	Brushed Dark Platinum	ST 030 100 2705-99

Individual components of this set

The following components are needed for this set

1x 13 612 705-00



1x 20 000 706-00



1x 29 140 670-00



1x 20 000 705-00



1x 27 702 980-00





CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome







ST 030 100 2705

CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705



- 7-7/8" Projection
- Rectangular aerator with 55 individual streams
- Total height 4-7/8"
- Height to aerator/spout outlet 4-1/4"
- 1-3/8" hole diameter
- 1/2" connection
- Water flow rate limited to max. 6.5 gpm

	Chrome	13 612 705-00
	Brushed Platinum	13 612 705-06
	Dark Chrome	13 612 705-19
	Brushed Champagne (22kt Gold)	13 612 705-46
	Champagne (22kt Gold)	13 612 705-47
	Brushed Dark Platinum	13 612 705-99


Required article

	Hose set -	12 509 970-90 0010
---	------------	-----------------------


CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	ASME A112.18.1/CSA B125.1	cUPC	DIN 4109
ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen

Certificates

WRAS_1512 LGA_28 IAPMO_4976




CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705

CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 11 70 007 00-00	spout	1	10
2	09 31 11 099 90	pin	1	2
3	09 14 10 009 90	seal	1	2
4	09 30 01 117 90	connection	1	2
5	09 23 01 057 90	flow reducer	1	2
6	09 18 40 090 90	sleeve	1	2
7	04 23 10 004 03 90	fixing set	1	2







CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705



- Valve hole diameter 1-1/4"
 - Flange 2-3/8" x 2-3/8"
 - with marking for cold

(ADA)

	Chrome	20 000 705-00
	Brushed Platinum	20 000 705-06
	Dark Chrome	20 000 705-19
	Brushed Champagne (22kt Gold)	20 000 705-46
	Champagne (22kt Gold)	20 000 705-47
	Brushed Dark Platinum	20 000 705-99




CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705


CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705

mm [inches]



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1	ASME A112.18.1/CSA B125.1	cUPC
DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen

Certificates

IAPMO_4976	WRAS_2103	LGA_28
------------	-----------	--------




CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705

CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705



Spare parts list







Number	Item Number	Designation	Number of units	Lead time
1	90 20 70 051 04-00	handle (cold)	1	10
2	04 17 11 058 33 90	side panel	1	2
3	90 90 03 133 00 90	top	1	2
4	04 23 10 032 78 90	fixing set	1	2
5	04 17 11 023 10 90	distributor	1	2
6	90 23 30 040 00-00	threaded connector	1	10
7	09 30 11 059 90	disc	1	2
8	09 23 10 012 90	nut	1	2

CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705



- Valve hole diameter 1-1/4"
 - Flange 2-3/8" x 2-3/8"
 - with marking for hot
- (ADA)

	Chrome	20 000 706-00
	Brushed Platinum	20 000 706-06
	Dark Chrome	20 000 706-19
	Brushed Champagne (22kt Gold)	20 000 706-46
	Champagne (22kt Gold)	20 000 706-47
	Brushed Dark Platinum	20 000 706-99




CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705


CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705

mm [inches]



Flow rate chart



Codes & Standards

ADA	ASME A112.18.1	ASME A112.18.1/CSA B125.1	cUPC
DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen

Certificates

IAPMO_4976	WRAS_2103	LGA_28
------------	-----------	--------




CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705

CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705

Parts for other
finishes can be found
here: Brushed
Platinum



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 20 70 051 05-00	handle (hot)	1	10
2	04 17 11 058 32 90	side panel	1	2
3	90 90 03 132 00 90	top	1	2
4	04 23 10 032 78 90	fixing set	1	2
5	04 17 11 023 10 90	distributor	1	2
6	90 23 30 040 00-00	threaded connector	1	10
7	09 30 11 059 90	disc	1	2
8	09 23 10 012 90	nut	1	2

CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705



- COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Descaling system
- Flange 2-3/8" x 2-3/8"
- 1-1/4" hole diameter
- Metal shower hose 88-5/8" with anti-twist device

Subsequent shower hose replacement possible without removing the fitting due to two-part construction.

Internal backflow preventer.

	Chrome	27 702 980-00
	Brushed Platinum	27 702 980-06
	Platinum	27 702 980-08
	Dark Chrome	27 702 980-19
	Brushed Light Gold	27 702 980-27
	Brushed Durabronze (23kt Gold)	27 702 980-28
	Matte Black	27 702 980-33
	Brushed Champagne (22kt Gold)	27 702 980-46
	Champagne (22kt Gold)	27 702 980-47
	Brushed Chrome	27 702 980-93
	Brushed Dark Platinum	27 702 980-99




CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome


ST 030 100 2705

CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705



Flow rate chart



Codes & Standards

ASME A112.18.1	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)	cUPC
DIN 4109	EN 1717	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen		

Certificates

LGA_29	IAPMO_4976	Belgaqua_21-383-2	WRAS_2209
--------	------------	-------------------	-----------




CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705

CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705

Parts for other
finishes can be found
here: Brushed
Platinum



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 12 11 140 41-00	shower	1	10
2	04 24 04 287 00-00	nipple	1	10
3	90 14 20 002 00 90	seal	1	2
4	28 322 970-00	Metal shower hose 1/2" x 3/8" x 68-7/8" - Chrome	1	2
5	90 18 40 085 00 90	sleeve	1	2
6	09 27 68 003-00	rosette	1	10
7	09 30 01 090-07	sleeve	1	30
8	04 23 10 032 46 90	fixing set	1	2
9	09 30 11 060 90	disc	1	2
10	12 505 970 90	Flexible supply line 1/2" x 3/8" x 19-5/8" -	1	2
11	90 24 03 168 00 90	nipple	1	2
12	04 24 04 187 00-00	nipple	1	10

CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705



- Integrated diverter
- 1-1/4" hole diameter
- Flange 2-3/8" x 2-3/8"
- 1/2" connection
- Water flow rate limited to max. 17.1 gpm

	Chrome	29 140 670-00
	Brushed Platinum	29 140 670-06
	Platinum	29 140 670-08
	Dark Chrome	29 140 670-19
	Brushed Light Gold	29 140 670-27
	Brushed Durabron (23kt Gold)	29 140 670-28
	Matte Black	29 140 670-33
	Brushed Champagne (22kt Gold)	29 140 670-46
	Champagne (22kt Gold)	29 140 670-47
	Brushed Chrome	29 140 670-93
	Brushed Dark Platinum	29 140 670-99




CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705

CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	ASME A112.18.1/CSA B125.1	California Energy Commission (CEC)	cUPC
DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations

Ü-Zeichen

Certificates

WRAS_1911LGA_29IAPMO_4976




CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705

CL.1 Five hole tub set for deck-mounted tub installation with diverter - Chrome

ST 030 100 2705

Parts for other
finishes can be found
here: Brushed
Platinum



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	09 20 71 003-00	handle	1	10
2	90 30 30 014 00 90	screw	1	2
3	09 20 71 002-00	handle	1	10
4	09 16 01 012-00	ring	1	10
5	09 27 67 006-00	rosette	1	10
6	90 14 10 043 00 90	seal	1	2
7	09 14 05 014 90	seal	1	2
8	09 14 40 002 90	seal	1	2
9	09 23 10 004 90	nut	1	2
10	90 17 09 051 00 90	diverter	1	2