

Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 3979



- Projection 17-7/8"
 - Rain shower: PURE RAIN, flow rate max. 1.8 gpm (at 3 bar)
 - Rain shower diameter 8-5/8"
 - Rain shower with descaling system
 - Hand-held shower: COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
 - Ø 3-7/8"
 - Diverter with integrated volume control
 - Flanges Ø 2-3/4"
 - Height from center of faucet to bottom of rainhead 39-3/4"
 - Height from center of faucet to top of shower arm 45-1/4"
 - Center to center 5-7/8" ± 1/2"
 - Metal shower hose 68-7/8" with anti-twist device
 - 1/2" connection
 - Slide bar
 - Pipe diameter 7/8"
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- Internal backflow preventer.**

NOTE: Hand shower sold separately. For more hand shower options, please see the miscellaneous articles section of each series.

| | | |
|--|--------------------------------|-------------------------|
| | Brushed Platinum | ST 050 305 3979-06 0010 |
| | Chrome | ST 050 305 3979-00 0010 |
| | Platinum | ST 050 305 3979-08 0010 |
| | Dark Chrome | ST 050 305 3979-19 0010 |
| | Light gold | ST 050 305 3979-26 0010 |
| | Brushed Light Gold | ST 050 305 3979-27 0010 |
| | Brushed Durabronze (23kt Gold) | ST 050 305 3979-28 0010 |
| | Matte Black | ST 050 305 3979-33 0010 |
| | Brushed Dark Brass | ST 050 305 3979-39 0010 |
| | Brushed Bronze | ST 050 305 3979-42 0010 |
| | Brushed Champagne (22kt Gold) | ST 050 305 3979-46 0010 |
| | Champagne (22kt Gold) | ST 050 305 3979-47 0010 |
| | Brushed Chrome | ST 050 305 3979-93 0010 |
| | Brushed Dark Platinum | ST 050 305 3979-99 0010 |

Individual components of this set

The following components are needed for this set



1x 34 459 979-06 0010



1x 28 025 979-06 0010



Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 3979

Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 3979



- Projection 17-7/8"
 - Rainshower
 - Rain shower with descaling system
 - Rain shower diameter 8-5/8"
 - Rain shower water flow rate limited to max. 1.8 gpm (at 3 bar)
 - Diverter with integrated volume control
 - Height from center of faucet to top of shower arm 45-1/4"
 - Flanges Ø 2-3/4"
 - Height from center of faucet to bottom of rainhead 39-3/4"
 - Center to center 5-7/8" ± 1/2"
 - Metal shower hose 68-7/8" with anti-twist device
 - 1/2" connection
 - Slide bar
 - Pipe diameter 7/8"
 - with drip prevention
 - This product reduces water consumption by 28% (compared to requirements of EPA '92)
 - This product contributes to meeting the requirements of the LEED® Green Building Rating
- Internal backflow preventer.**


NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

Internal backflow preventer.


NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

| | | |
|--|--------------------------------|--------------------|
|  | Brushed Platinum | 34 459 979-06 0010 |
|  | Chrome | 34 459 979-00 0010 |
|  | Platinum | 34 459 979-08 0010 |
|  | Dark Chrome | 34 459 979-19 0010 |
|  | Light gold | 34 459 979-26 0010 |
|  | Brushed Light Gold | 34 459 979-27 0010 |
|  | Brushed Durabronze (23kt Gold) | 34 459 979-28 0010 |
|  | Matte Black | 34 459 979-33 0010 |
|  | Brushed Bronze | 34 459 979-42 0010 |
|  | Brushed Champagne (22kt Gold) | 34 459 979-46 0010 |
|  | Champagne (22kt Gold) | 34 459 979-47 0010 |
|  | Brushed Chrome | 34 459 979-93 0010 |
|  | Brushed Dark Platinum | 34 459 979-99 0010 |


Required article

| | | |
|---|---|--------------------|
|  | Rough-in adapter - •Please order 2 adapters | 35 080 970-90 0010 |
|---|---|--------------------|


Required article

| | | |
|---|--|--------------------|
|  | Hand shower FlowReduce - Brushed Platinum | 28 016 979-06 0010 |
|---|--|--------------------|

Required article

| | | |
|---|--|--------------------|
|  | Hand shower FlowReduce - Brushed Platinum | 28 012 979-06 0010 |
|---|--|--------------------|

Required article

| | | |
|---|--|--------------------|
|  | Hand shower FlowReduce - Brushed Platinum | 28 018 979-06 0010 |
|---|--|--------------------|

Required article

| | | |
|---|---|--------------------|
|  | SERIES-VARIOUS Hand shower FlowReduce - Brushed Platinum | 28 029 979-06 0010 |
|---|---|--------------------|

Required article

| | | |
|---|---|--------------------|
|  | SERIES-VARIOUS Hand shower FlowReduce - Brushed Platinum | 28 027 979-06 0010 |
|---|---|--------------------|


Required article

| | | |
|---|---|--------------------|
|  | SERIES-VARIOUS Hand shower FlowReduce - Brushed Platinum | 28 025 979-06 0010 |
|---|---|--------------------|


Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 3979

mm [inches]
1:10



Flow rate chart




Codes & Standards

ASME
A112.18.1/CSA
B125.1

California Energy
Commission
(CEC)

Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 3979



Spare parts list

| Number | Item Number | Designation | Number of units | Lead time |
|--------|--------------------|--|-----------------|-----------|
| 1 | 04 12 05 092 10-06 | shower | 1 | 10 |
| 2 | 09 23 01 039 90 | sieve | 1 | 2 |
| 3 | 90 28 22 348 00-06 | pipe | 1 | 10 |
| 4 | 90 17 11 150 00-06 | holder | 1 | 10 |
| 5 | 90 28 22 349 00-06 | pipe | 1 | 10 |
| 6 | 04 17 01 250 00-06 | connection | 1 | 10 |
| 7 | 90 17 33 015 00-06 | handle | 2 | 10 |
| 8 | 90 14 20 026 00 90 | seal | 1 | 2 |
| 9 | 12 570 970-06 | Slider - Brushed Platinum | 1 | 10 |
| 10 | 28 322 970-06 | Metal shower hose 1/2" x 3/8" x 68-7/8" - Brushed Platinum | 1 | 2 |




Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 3979



- Ø 3-7/8"
- COMPACT RAIN, flow rate max. 1.3 gpm (at 3 bar)
- Descaling system
- 1/2" connection
- This product reduces water consumption by 28% (compared to requirements of EPAct '92)
- This product contributes to meeting the requirements of the LEED® Green Building Rating
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Internal backflow preventer.

| | | |
|--|--------------------------------|--------------------|
|  | Brushed Platinum | 28 025 979-06 0010 |
|  | Chrome | 28 025 979-00 0010 |
|  | Platinum | 28 025 979-08 0010 |
|  | Dark Chrome | 28 025 979-19 0010 |
|  | Light gold | 28 025 979-26 0010 |
|  | Brushed Durabronze (23kt Gold) | 28 025 979-28 0010 |
|  | Matte Black | 28 025 979-33 0010 |
|  | Brushed Champagne (22kt Gold) | 28 025 979-46 0010 |
|  | Champagne (22kt Gold) | 28 025 979-47 0010 |
|  | Brushed Chrome | 28 025 979-93 0010 |
|  | Brushed Dark Platinum | 28 025 979-99 0010 |


Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 3979


Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 3979

mm [inches]




Flow rate chart



Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 3979

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

| Number | Item Number | Designation | Number of units | Lead time |
|--------|-----------------|-------------|-----------------|-----------|
| 1 | 09 23 01 039 90 | sieve | 1 | 2 |