

SYMETRICS Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 9980



- Projection 17-7/8"
- Rain shower: PURE RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Function from: 1.6 gpm
- 11-3/4" x 9-1/2" Rain showerhead
- Rain shower with descaling system
- Hand-held shower: COMPACT RAIN, flow rate max. 1.8 gpm (at 3 bar)
- Ø 3-7/8"
- Diverter with integrated volume control
- Flanges Ø 2-3/4"
- Height from center of faucet to bottom of rainhead 39-3/4"
- Height from center of faucet to top of shower arm 45-1/4"
- Center to center 5-7/8" ± 1/2"
- Metal shower hose 68-7/8" with anti-twist device
- 1/2" connection
- Slide bar
- Pipe diameter 7/8"
- **Internal backflow preventer.**

NOTE: Hand shower sold separately. For more hand shower options, please see the miscellaneous articles section of each series.

	Brushed Platinum	ST 050 305 9980-06 0010
	Chrome	ST 050 305 9980-00 0010
	Platinum	ST 050 305 9980-08 0010
	Dark Chrome	ST 050 305 9980-19 0010
	Brushed Light Gold	ST 050 305 9980-27 0010
	Brushed Durabronze (23kt Gold)	ST 050 305 9980-28 0010
	Matte Black	ST 050 305 9980-33 0010
	Brushed Dark Brass	ST 050 305 9980-39 0010
	Brushed Champagne (22kt Gold)	ST 050 305 9980-46 0010
	Champagne (22kt Gold)	ST 050 305 9980-47 0010
	Brushed Chrome	ST 050 305 9980-93 0010
	Brushed Dark Platinum	ST 050 305 9980-99 0010

Individual components of this set

The following components are needed for this set



1x 34 459 980-06 0010



1x 28 018 979-06 0010



SYMETRICS Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 9980

SYMETRICS Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 9980



- Projection 17-7/8"
 - Rainshower
 - 11-3/4" x 9-1/2" Rain showerhead
 - Rain shower with descaling system
 - Rain shower water flow rate limited to max. 1.8 gpm (at 3 bar)
 - Function from: 1.6 gpm
 - Diverter with integrated volume control
 - Flanges Ø 2-3/4"
 - Height from center of faucet to bottom of rainhead 39-3/4"
 - Height from center of faucet to top of shower arm 45-1/4"
 - Center to center 5-7/8" ± 1/2"
 - Metal shower hose 68-7/8" with anti-twist device
 - 1/2" connection
 - Slide bar
 - Pipe diameter 7/8"
 - with drip prevention
 - This product reduces water consumption by 28% (compared to requirements of EPAct '92)
 - This product contributes to meeting the requirements of the LEED® Green Building Rating
- Internal backflow preventer.**


NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

Internal backflow preventer.


NOTE: Hand shower sold separately. Please see hand shower options under the miscellaneous articles section of each series.

	Brushed Platinum	34 459 980-06 0010
	Chrome	34 459 980-00 0010
	Platinum	34 459 980-08 0010
	Dark Chrome	34 459 980-19 0010
	Brushed Light Gold	34 459 980-27 0010
	Brushed Durabronze (23kt Gold)	34 459 980-28 0010
	Matte Black	34 459 980-33 0010
	Brushed Champagne (22kt Gold)	34 459 980-46 0010
	Champagne (22kt Gold)	34 459 980-47 0010
	Brushed Chrome	34 459 980-93 0010
	Brushed Dark Platinum	34 459 980-99 0010


Required article

	Rough-in adapter - •Please order 2 adapters	35 080 970-90 0010
---	---	--------------------


Required article

	Hand shower FlowReduce - Brushed Platinum	28 016 979-06 0010
---	--	--------------------

Required article

	Hand shower FlowReduce - Brushed Platinum	28 012 979-06 0010
---	--	--------------------

Required article

	Hand shower FlowReduce - Brushed Platinum	28 018 979-06 0010
---	--	--------------------

Required article

	SERIES-VARIOUS Hand shower FlowReduce - Brushed Platinum	28 029 979-06 0010
---	---	--------------------

Required article

	SERIES-VARIOUS Hand shower FlowReduce - Brushed Platinum	28 027 979-06 0010
---	---	--------------------


Required article

	SERIES-VARIOUS Hand shower FlowReduce - Brushed Platinum	28 025 979-06 0010
---	---	--------------------


SYMETRICS Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 9980

mm [inches]
1:10



Flow rate chart




Codes & Standards

ASME
A112.18.1/CSA
B125.1

California Energy
Commission
(CEC)

SYMETRICS Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 9980



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	04 12 05 063 10-06	shower	1	10
2	09 23 01 039 90	sieve	1	2
3	90 28 22 348 00-06	pipe	1	10
4	90 17 11 150 00-06	holder	1	10
5	90 28 22 349 00-06	pipe	1	10
6	04 17 01 250 00-06	connection	1	10
7	90 17 33 015 00-06	handle	1	10
8	90 14 20 026 00 90	seal	1	2
9	12 570 970-06	Slider - Brushed Platinum	1	10
10	28 322 970-06	Metal shower hose 1/2" x 3/8" x 68-7/8" - Brushed Platinum	1	2















SYMETRICS Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 9980



- 3-way or 5-way adjustable: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, flow rate max. 1.8 gpm (at 3 bar)
- Descaling system
- Ø 3-7/8"
- 1/2" connection
- Function from: 1.6 gpm
- This product reduces water consumption by 28% (compared to requirements of EPAct '92)
- This product contributes to meeting the requirements of the LEED® Green Building Rating
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Internal backflow preventer.

	Brushed Platinum	28 018 979-06 0010
	Chrome	28 018 979-00 0010
	Platinum	28 018 979-08 0010
	Dark Chrome	28 018 979-19 0010
	Light gold	28 018 979-26 0010
	Brushed Light Gold	28 018 979-27 0010
	Brushed Durabronze (23kt Gold)	28 018 979-28 0010
	Matte Black	28 018 979-33 0010
	Brushed Bronze	28 018 979-42 0010
	Brushed Dark Bronze	28 018 979-43 0010
	Brushed Champagne (22kt Gold)	28 018 979-46 0010
	Champagne (22kt Gold)	28 018 979-47 0010
	Brushed Chrome	28 018 979-93 0010
	Brushed Dark Platinum	28 018 979-99 0010



SYMETRICS Exposed shower set with shower thermostat - Brushed Platinum


ST 050 305 9980




SYMETRICS Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 9980

mm [inches]



Flow rate chart



Codes & Standards

ASME A112.18.1	California Energy Commission (CEC)	cUPC	DIN 4109
EPA WaterSense	ISO 3822	Ü-Zeichen	WaterSense



Certificates

IAPMO_11777 LGA_29 IAPMO_4976 (




SYMETRICS Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 9980

SYMETRICS Exposed shower set with shower thermostat - Brushed Platinum

ST 050 305 9980

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	09 23 01 039 90	sieve	1	2