

Two-hole bridge mixer with side spray set

ST 110 202 7809





- 9-1/2" Projection
- Swiveling spout 360°
- Aerated stream and spray mode
- Integrated diverter
- Total height 13-7/8"
- Height to aerator/spout outlet 9-1/2"
- Side spray hole diameter 1-1/4"
- 2 x pressure hose with 3/8" compression fitting
- Fabric braided spray hose 59"
- Sprayface with descaling system
- Water flow rate limited to max. 1.5 gpm
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Bronze	ST 110 202 7809-42 0010
	Chrome	ST 110 202 7809-00 0010
	Brushed Platinum	ST 110 202 7809-06 0010
	Platinum	ST 110 202 7809-08 0010
	Durabronze (23kt Gold)	ST 110 202 7809-09 0010
	Dark Chrome	ST 110 202 7809-19 0010
	Brushed Durabronze (23kt Gold)	ST 110 202 7809-28 0010
	Matte Black	ST 110 202 7809-33 0010
	Brushed Champagne (22kt Gold)	ST 110 202 7809-46 0010
	Champagne (22kt Gold)	ST 110 202 7809-47 0010
	Brushed Chrome	ST 110 202 7809-93 0010
	Brushed Dark Platinum	ST 110 202 7809-99 0010

Individual components of this set

The following components are needed for this set



Two-hole bridge mixer with side spray set

ST 110 202 7809

Two-hole bridge mixer with side spray set

ST 110 202 7809



Two-hole bridge mixer with side spray set

ST 110 202 7809


Two-hole bridge mixer with side spray set

ST 110 202 7809


Two-hole bridge mixer with side spray set

ST 110 202 7809

mm [inches]



Flow rate chart



Certificates


IAPMO_4976

IAPMO_N-4976

IAPMO_6397

Two-hole bridge mixer with side spray set

ST 110 202 7809



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 28 22 396 01-42	spout	1	30
2	90 20 80 036 00-42	handle	2	30
3	90 12 12 232 00 90	fixing cap	2	2
4	90 90 03 131 00 90	top	2	2
5	90 14 10 043 00 90	seal	2	2
6	04 30 11 040 00 90	fixing set	2	2
7	04 30 04 100 00 90	hose	2	2
8	04 30 04 103 00 90	hose	2	2

Two-hole bridge mixer with side spray set

ST 110 202 7809



- With round flange
- Spray mode
- Integrated diverter
- Total height 8"
- Side spray hole diameter 1-1/4"
- Fabric braided spray hose 59"
- Sprayface with descaling system
- lead-free

Can only be combined with 33810809, 33826809, 19815809, 19825809.

Internal backflow preventer.

Residual water may drip from the sprayer after shut-off

Flexible positioning of components.

Button has to be pressed while using.

	Brushed Bronze	27 731 809-42
	Chrome	27 731 809-00
	Brushed Platinum	27 731 809-06
	Platinum	27 731 809-08
	Durabronze (23kt Gold)	27 731 809-09
	Dark Chrome	27 731 809-19
	Brushed Durabronze (23kt Gold)	27 731 809-28
	Matte Black	27 731 809-33
	Brushed Champagne (22kt Gold)	27 731 809-46
	Champagne (22kt Gold)	27 731 809-47
	Brushed Chrome	27 731 809-93
	Brushed Dark Platinum	27 731 809-99


Two-hole bridge mixer with side spray set

ST 110 202 7809

Two-hole bridge mixer with side spray set

ST 110 202 7809

mm [inches]



Codes & Standards

DIN 4109	EN 1717	ISO 3822	NSF372
NSF61	Ü-Zeichen		


Certificates

LGA_29	Belgaqua_24-005-2	IAPMO_N-4976	IAPMO_6397
--------	-------------------	--------------	------------

Two-hole bridge mixer with side spray set

ST 110 202 7809

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

Number	Item Number	Designation	Number of units	Lead time
1	90 17 09 046 12 90	diverter	1	2
2	90 24 03 241 00 90	nipple	1	2
3	90 14 20 019 00 90	seal	1	2
4	04 23 10 047 00 92	fixing set	1	60
5	90 30 01 142 00-42	shaft	1	30
6	90 30 02 062 00-42	hose	1	30
7	09 23 01 039 90	sieve	1	2
8	04 12 11 158 00-42	shower	1	60
9	90 17 09 046 14 90	conversion kit	1	2